



INTERMEDIATE-ADVANCED

HIGH FREQUENCY FULL BODY PROGRAM

JEFF NIPPARD



DISCLAIMER

All documents included or exchanged between Jeff Nippard and the Client are the intellectual property of STRCNG Incorporated and are not to be copied, sold, published, posted, or redistributed either in part or in full without my written consent. All violations will be prosecuted to the fullest extent of the law.

Jeff Nippard is not a doctor or registered dietitian. The contents of this document should not be taken as medical advice. It is not intended to diagnose, treat, cure, or prevent any health problem - nor is it intended to replace the advice of a physician. Always consult your physician or qualified health professional on any matters regarding your health. Use of the information in this program is strictly at your own risk. Jeff Nippard and/or STRCNG Incorporated will not assume any liability for any direct or indirect losses or damages that may result, including, but not limited to, economic loss, injury, illness or death.



TABLE OF CONTENTS

DISCLAIMER	<u>2</u>
ABOUT ME	<u>5</u>
KEY TERMS	<u>7</u>
ABOUT THIS PROGRAM	<u>10</u>
FUNCTIONAL ANATOMY	<u>14</u>
FAQ	<u>25</u>
WARM UP	<u>33</u>

HIGH FREQUENCY FULL BODY PROGRAM	<u>40</u>
PROGRAM EXPLAINED	<u>70</u>
TRAINING VARIABLES	<u>87</u>
EXERCISE VIDEO DEMONSTRATIONS	<u>93</u>
EXERCISE SUBSTITUTIONS	<u>97</u>
REFERENCES	<u>100</u>



ABOUT JEFF

Jeff is a professional drug-free bodybuilder and powerlifter.

Through his informative and entertaining [Youtube channel](#), which has gathered a fan-base of over one million subscribers, Jeff aims to share the knowledge he has gathered through university education and field experience with others who are passionate about the science behind building muscle, losing fat and getting healthier.

He earned the title of Mr. Junior Canada for natural bodybuilding in 2012 and as a powerlifter, held the Canadian national record for the bench press in 2014. As a powerlifter, Jeff has claimed a 502 lb squat, 336 lb bench press and a 518 lb deadlift with an all time best Wilks score of 446.

With a Bachelor of Science degree in biochemistry, Jeff has gathered the requisite scientific knowledge to compliment his practical experience acquired through training and coaching. He has coached women's bikini and men's bodybuilding

national and provincial champions, professional natural bodybuilders and nationally and IPF Worlds qualified raw powerlifters. In addition to coaching one on one, Jeff has presented seminars to national and international audiences on topics such as Block Periodization, Concurrent Training and Nutrition and Training For Natural Bodybuilding in academic settings including the 2019 Ultimate Evidence Based Conference (UEBC), Lehman College and the University of Iowa. He has aspirations of completing a PhD in exercise science or a related field.

Jeff currently lives in Kelowna, Canada where he is producing informative YouTube videos and podcasts.



KEY TERMS

FREQUENCY: How often you directly train a given muscle every seven days

EFFORT: How hard you are pushing the set relative to failure. Measured with RPE or %1RM

LOAD: The weight of the external resistance

INTENSITY: Effort and load

VOLUME: Total amount of work performed. Usually approximated as tough working sets

REPEATED BOUT EFFECT (RBE): The more you do something, the less it impacts you. In the context of high frequency training, RBE generally implies that you will get less sore and experience less muscle damage over time as your body grows accustomed to the new training style

STIMULUS TO FATIGUE : A measurement of how much hypertrophic stimulus an exercise provides relative to how much fatigue it causes. Generally speaking, exercises with a high stimulus to fatigue ratio should be prioritized as they provide a large training effect for a relatively small recovery demand.

PROGRESSIVE OVERLOAD: The gradual increase of stress placed upon the body during exercise training. In training contexts, this generally involves progressively increasing some lifting parameter over time (usually weight or reps)

ROM: Range of motion

RPE: Rate of perceived exertion. A measure of how difficult a set was on a 1-10 scale, with 10 meaning muscular failure was achieved

LSRPE: Last set RPE

TEMPO: The speed at which the lift occurs.

ECCENTRIC: The lowering (“negative”) aspect of the lift

CONCENTRIC: The contracting (“positive”) aspect of the lift

HYPERTROPHY: The growth of (muscle) tissue

AMRAP: As many reps as possible (with good form). Often performed as a test to determine max strength

PRIMARY EXERCISE: Main heavy compound movements that involve a large amount of muscle mass (for example: squats, bench presses and deadlifts)

SECONDARY EXERCISE: Compound exercises which involve less muscle mass (for example: cable rows, lunges, hip thrusts, military presses, pull-ups, etc.)

TERTIARY EXERCISE: Isolation movements involving only one joint and primarily targeting a single muscle – usually used to isolate a specific, smaller muscle or to generate metabolic stress

PERIODIZATION: The organization of training over time

TOP SET: A single heavy, high-effort set performed before back off sets (always performed after a progressive warm-up)

BACK-OFF SET: A lighter set performed after a top set to help accumulate volume and practice on the lift



ABOUT THIS PROGRAM

WHO BENEFITS THE MOST FROM FULL BODYTRAINING

Over the past few years, full body, high-frequency training has become a very popular programming style in the evidence-based fitness community. Many top natural bodybuilding coaches, professional natural bodybuilders and strength athletes are a testament to its success.

In the context of trainees looking to build muscle, later in this manual you will be introduced to five advantages to employing a high frequency approach. For completion sake, you will also learn the potential concerns that deserve careful attention. Trainees looking to push themselves from the intermediate to the advanced stage of physique development will benefit most from this program. Not only will the increase in frequency provide a novel training stimulus, but a unique distribution of weekly volume and the highest possible potential for “practicing lifting” will also

challenge your body in a way that it likely has never been challenged before.

WHAT THE PROGRAM IS

The primary goal of this program is to maximize muscle hypertrophy for individuals in the intermediate-advanced stage of training advancement. Because this program uses a very high frequency approach, it is most likely a set-up you have never tried before and as such, will be useful for breaking through plateaus in size and/or strength – an issue most intermediate and advanced trainees deal with regularly.

It's difficult to pin down exactly what "intermediate-advanced" means in terms of a specific training age because training years in the gym are not equal across individuals. Some folks, for example, may have spent 10 years training in the gym, but that time may only actually be "worth" one or two years if they've spent the majority of their time simply going through the motions without focus or direction. But as a general guide, if you've been training for roughly two-five years, with a generally serious approach toward your training sessions, you will benefit from this program. If you've been training without adequate structure for even a few months, it doesn't matter how long you've been in the gym, this program will get you on the right track.

This program is intended to build on both my [Push Pull Legs Hypertrophy Program](#) and my [Upper Lower Size & Strength Program](#), but you can still run this program without having run either of those two programs first. You can also run these programs in a different order, such as going from highest to lowest frequency. This would involve completing this program first, then running the Upper Lower program, and finally, the Push Pull Legs.

Before we dive into the nuts and bolts of the program itself, I want to first make it clear

what this training manual is intended to accomplish. As I'll allude to throughout the document, this program consists of two separate blocks, both lasting four weeks. Both blocks have a slightly different area of focus in terms of exercises, reps and intensity. Block 1 will start out quite slowly to give your body time to get acclimated to the higher training frequency. This is very important for preventing excessive joint stress, soreness and fatigue. Block 2 continues with the same primary goal of building muscular size but has more of a strength and skill focus, where you will be working up to a high exertion primary lift and then performing lighter back-off sets on a secondary compound movement. This variation will make Block 2 a very challenging but also very enjoyable training segment of the program. At the end of Block 2, you have the option of running a planned deload week and then AMRAP (max) testing week. You are encouraged to do this to assess your strength progress throughout the program. If you are not concerned with strength and merely looking to build size however, you can instead simply start back with Week 1 (which functions as a deload) after Week 8, or advance onto a [different program](#).

Because this is a very high frequency program, with each body part being hit up to five days per week, recovery management is our top priority. For this reason, we will be focusing heavily on proper technique, careful exercise selection (prioritizing movements with a high stimulus to fatigue ratio) and the mind-muscle connection. Most days begin with one heavy primary exercise at a moderate-high RPE, with the remainder of the session filled in with secondary and tertiary movements set toward reaching weekly volume targets for each muscle.

WHAT THIS PROGRAM ISN'T

If you've been in the gym for less than two years, I'd recommend running through my [Fundamentals Program](#) at least once, then running at least one of the [Push Pull Legs](#) and/or [Upper Lower Program](#) before advancing to this routine. This is encouraged

to ensure that you have already established an adequate strength and technique base before running a high frequency program.

This program is not intended to be an all-inclusive resource for all things training related. I initially wrote this document as a supplemental resource to my [Science Applied YouTube Series](#) and my [Fundamentals YouTube Series](#), meaning that there will be information covered in those videos that won't be recapitulated here.

With that said, there is still plenty of information within these pages, including a full blown functional anatomy section, a section explaining the specific advantages and concerns with using a high frequency approach, a description of the programming principles at play (volume, intensity, etc.), video links for technique demonstration for each exercise, a list of exercise substitutions and 39 unique scientific references.



FUNCTIONAL ANATOMY

It's important to understand the functional anatomy and biomechanics of the main muscles we'll be targeting before we can understand how to best train them. Functional anatomy determines what muscles can do.

There are two things to consider when looking at a muscle's functional anatomy: origin and insertion. From at least two points, muscles attach themselves to bone by tendons. The origin is the fixed attachment which does not move and the insertion is the attachment which moves closer to the origin when a muscle contracts. This contracting phase, referred to as the concentric phase (known as the "positive" phase), is normally followed by the eccentric phase (lowering the weight – also known as the "negative" phase).

Figure 1A: The Main Posterior Muscles





Figure 1B: The Main Anterior Muscles



QUADRICEPS: The quadriceps (quads for short) are comprised of four muscles, often referred to as "heads": the vastus lateralis (quad sweep), vastus medialis (tear drop), rectus femoris (the middle portion of your upper thigh), and vastus intermedius (which runs underneath rectus femoris). The quads act to extend the knee, taking the leg from a bent position to a straight position. Each muscle of the quad has its own unique insertion, which we won't worry about too much here. Just remember that the main action of the quads is to extend (straighten) the knee.

ORIGIN: The vasti muscles originate on the body of femur (thigh bone). The rectus femoris originates on the ilium of the "hip bone."

INSERTION: Tibial tuberosity




Figure 2: Quadriceps Anatomy




Figure 4: Gluteals Anatomy

GLUTEALS: The gluteals (glutes) are also a complex of muscles consisting of the gluteus maximus, gluteus medius, and gluteus minimus. As the name suggests, the gluteus maximus is the largest of the three, followed by the gluteus medius, and the smallest being gluteus minimus. The gluteus maximus has multiple origins, including the pelvis, sacrum, coccyx, and thoracolumbar fascia and multiple insertions including the upper femur and IT band. Because of this, it is able to perform a wide variety of functions, but primarily:

- Hip extension (push your hips forward)
- Hip abduction (move your thigh away from the midline)
- Hip external rotation (rotating your thigh bone outwards)
- Posterior pelvic tilt (tucking your butt "in")

The smaller glute medius still occupies a hefty portion of the rear hip musculature and functions primarily as a stabilizer during dynamic movement and as a hip abductor. It originates on the pelvis and inserts on the femur. It is most effectively trained with exercises that require a high degree of stability, especially unilateral movements such as walking lunges, and exercises that train hip abduction, such as machine hip abductions.

ORIGIN: The gluteus maximus, medius, and minimus originate on the ilium.

INSERTION: The gluteus maximus and gluteus minimus insert to the iliotibial tract (IT band) and the gluteal tuberosity on the femur. The gluteus medius inserts to the greater trochanter of the femur.

EXERCISES: Back squat, barbell hip thrust, deadlift, glute ham raise, leg press, RDL, seated hip abduction, and single-leg leg press




Figure 5: Pectoral Anatomy

PECTORALIS: There are two pectoralis muscles (pecs for short) located on your chest: the pectoralis major and the pectoralis minor. The pectoralis major can be divided into two heads: the clavicular head or “upper chest” (which originates at the clavicle) and the sternal head or “lower chest” (which originates at the sternum).

The pecs act to adduct the upper arm (bring the upper arm across the body), and to internally rotate the shoulder joint. The clavicular fibers also aid in shoulder flexion (raising your upper arm up), but the sternal fibers do not.

ORIGIN: The pectoralis major originates on the sternum and clavicle. The pectoralis minor originates on the 3rd-5th ribs.

INSERTION: The pectoralis major inserts on the humerus. The pectoralis minor inserts to the coracoid process (front of your shoulder).

EXERCISES: Barbell bench press, decline bench press, dip, dumbbell incline press, low incline dumbbell press, low to high cable flye, and push up

BACK: The back is comprised of a massive web of muscles, so for the sake of simplicity, we will only look at the largest back muscles.

The latissimus dorsi (lats for short) is a big muscle which runs from just underneath your armpit all the way down to the bottom of your back. The lats primarily act to extend the shoulder (bring your upper arm downward) and adduct the shoulder (moving your elbows towards your mid back).

The trapezius (traps for short), is another large muscle running from the base of the skull down to the middle of your inner back. When people think about the traps, they tend to only think of the upper fibers, but the middle and lower fibers take up a very large surface area as well. The traps act to elevate the scapulae (shrugging your shoulders), retract the scapulae (pull the shoulder blades back), and extend the shoulder (pull your arms backward when your elbows are raised).




Figure 6: Latissimus Dorsi Anatomy

LATS:

ORIGIN: Iliac crest and thoracolumbar fascia

INSERTION: Humerus

EXERCISES: Cable-pullover, chin-up, pronated pulldown, and weighted pull-up

TRAPS:

ORIGIN: Occipital bone (upper traps), corresponding supraspinous ligaments for the mid and lower traps

INSERTION: Nuchal ligament

EXERCISES: Banded chest-supported T-bar row, cable seated row, chest-supported T-bar row, deadlift, dumbbell row, hex bar, humble row, pendlay row, reverse pec deck, seated face pull, and smith machine shrug




Figure 7: Trapezius Anatomy

BICEPS: The biceps brachii are a two-headed muscle, containing a long head and a short head. They collectively act to flex the elbows (bring the elbow from a straightened position to a bent position), and supinate the wrist (twist the pinky upwards). The brachialis, which runs underneath the biceps brachii, is also a strong elbow flexor.




Figure 8: Biceps Anatomy

ORIGIN: Coracoid process, supraglenoid tubercle

INSERTION: Radial tuberosity

EXERCISES: Cable single-arm curl, EZ bar curl 21s, hammer curl, incline dumbbell curl, and supinated EZ bar curl

TRICEPS: The triceps lie on the back of your upper arm and are made up of three heads: a long head, medial head, and lateral head. The triceps collectively act to extend the elbow (bring the elbows from a bent position to a straightened position).

ORIGIN: Infraglenoid tubercle, radial groove

INSERTION: Olecranon process on ulna




Figure 9: Triceps Anatomy

EXERCISES: EZ bar skull crusher, overhead triceps extension, and triceps pressdown

DELTOIDS: The deltoids (or delts for short) are comprised of three different heads, the anterior deltoid (front delt), the lateral deltoid (middle delt, and often mistakenly called the medial delt), and the posterior delt (rear delt). The anterior delt acts to flex the shoulder (raise the arm up), the lateral delt acts to abduct the upper arm (raise your upper arm out directly to your sides), and the posterior delt acts to abduct the shoulder (pull the shoulder back when the elbows are raised).




Figure 10: Deltoid Anatomy


ORIGIN: Clavicle, acromion process, spine of scapula

INSERTION: deltoid tuberosity of humerus

EXERCISES: Arnold press (anterior, lateral, posterior), banded chest-supported T-bar row (posterior), barbell bench press (anterior), barbell overhead press (anterior, lateral), cable lateral raise (lateral), cable rope upright row (lateral), chest-supported T-bar row (posterior), dumbbell incline press (anterior), dumbbell lateral raise (lateral), egyptian

lateral raise (lateral), humble row (posterior), low incline dumbbell press (anterior), pendlay row (posterior), reverse pec deck (posterior), and seated face pull (posterior)

Figure 11: Abdominal Anatomy



ABS: The abs are a huge web containing many muscles which all have a similar function. When talking about the abs, we are typically referring to the rectus abdominis – the “6-pack.” The rectus abdominis acts to flex the spine, rotate the torso, and resist spinal extension (prevent your lower back from arching inwards).

ORIGIN: Crest of pubis

INSERTION: Xiphoid process

EXERCISES: Ab wheel rollout, bicycle crunch, cable crunch, and hanging leg raises



Figure 12: Anatomy of the Calf Muscles

CALVES: The calves are a complex muscle group consisting of two muscles – the gastrocnemius (or gastroc for short) and the soleus. The gastrocnemius is the big muscle underneath the back of your knee and the soleus is a smaller, flatter muscle which runs underneath the gastroc down to your ankle. Both the gastroc and soleus act to plantarflex the ankle (point your toes down).

ORIGIN: Lateral and medial condyle of femur

INSERTION: tendo calcaneus

EXERCISE: Eccentric-accentuated standing calf raises and standing calf raises

FOREARMS: The web of musculature that we commonly call forearms perform a few primary functions: wrist flexion, wrist extension, wrist supination, and elbow flexion. Wrist flexion is pulling your palm towards your inner elbow. Wrist extension is pulling your palm away from your inner elbow. Wrist supination is rotating your hand such that your pinky is higher than your every other finger, and elbow flexion is pulling your forearm closer towards your shoulder ("curling"). The forearm elbow flexors are stronger when the wrist is in a pronated (palms down) position.

ORIGIN: Most of the posterior muscles originate on the lateral epicondyle of the humerus, whereas most of the anterior muscles originate on the common flexor tendon.

INSERTION: There are numerous and varied insertion points, but most muscles insert somewhere on the fingers

EXERCISES: Cable single-arm curl, deadlift, EZ bar curl 21s, hammer curl, incline dumbbell curl, supinated EZ bar curl, and weighted pull-up




Figure 13: Posterior Forearm Anatomy




Figure 14: Anterior Forearm Anatomy



F. A. Q.

1. Isn't this overtraining? How can I train every muscle every day and not burn out?

Overtraining occurs when your training demands consistently exceed your body's ability to recover over time.

First of all, true overtraining is pretty rare. When it does occur, it doesn't just "happen" all of a sudden. There are all sorts of warning signs that can hint toward overtraining territory including: a clear and continued loss of progress in strength/size, disturbed sleep, persistently achy joints and muscles and an extreme lack of motivation to train. Regardless of what training split you are running, it is important to pay attention to your own body's feedback to determine if you are recovering properly and then to adjust accordingly.

Secondly, overtraining typically results from either too much volume and/or too much intensity. Generally speaking, most truly intermediate-advanced trainees will

not experience overtraining using the weekly set volumes in this routine (in the 10–24 sets per week range) unless intensity is also very high. To be sure, this program emphasizes strict adherence to RPE's, where typically about one–three reps are being “left in the tank” per set to avoid this concern.

Additionally, the period of rest required for recovery from just three–six sets per muscle group is probably much shorter than you think. For truly intermediate–advanced trainees, hitting the same muscle within 24 hours is perfectly viable, especially when volumes and intensities are moderated. This becomes obvious once you realize that even though I might say “we are training chest four–five days per week”, this does not imply that we are doing FULL chest workouts four–five days per week. It simply means that we will stimulate the chest through the use of (usually) just one exercise per training day.

Granted, I think there is slightly more of a concern for fatigue accumulation on a full body program, even if weekly volumes are re–distributed appropriately, especially if it is a unique set–up for you. For this reason, we will continually emphasize careful warm up, proper exercise selection, effort management and other recovery factors throughout this manual.

Remember: there is no “rule” stating that you cannot train the same muscle group on consecutive days. In fact, most athletes tax the same muscles and the same systems on consecutive days all the time, making muscle–heads and bodybuilders the exception to typical programming practices.

2. Wait! I looked through the program and noticed that every single muscle isn't hit every single day. For example, there is zero chest work on Day 3 of Week 1. Is this a mistake?

No, it's not a mistake. Just like there is no rule saying that you can't hit the same

muscle on consecutive days, there is no rule saying that you must hit the same muscle every consecutive day. The program is organized in such a way that allows us to hit weekly volume targets while ensuring adequate recovery and progression. This means that some muscles such as the back will in fact be hit five days per week, while other muscles, like the chest, may only be hit three or four days per week. No big deal.

3: I am getting very sore from my workouts. Should I skip the gym until I am not sore?

You may experience increased soreness when you first begin the program because it is presenting a new stress to your body. Foam rolling can help reduce DOMS [1] and increase ROM [2], so if you are constantly getting sore, week after week, consider adding a short three-five minute foam rolling routine at the beginning and/or end of your workouts. Otherwise, training while sore is not inherently problematic for muscle growth unless it puts you at an increased risk of injury. If you're having a difficult time getting into position or completing a full range of motion for any of the planned exercises, it would be wise to skip that exercise until you feel properly recovered. You can then add the volume for that exercise later in the week. This ensures that the total weekly volume remains the same. Otherwise, in the case of mild soreness, perform a slightly longer warm up for each exercise and use your own discretion with avoiding injury being a top priority. One extra rest day will not set you back very far, but a serious injury will.

4. Do I need to train five days in a row, or can I take rest days in between?

It doesn't matter much how you organize your rest days as long as you're able to complete all of the weekly training volume at the appropriate level of effort. For example, if it works better with your schedule and recovery to take one rest day between Day 2 and 3, and then another rest day after Day 5, that is perfectly fine.

On the other hand, you can also run all five training days in a row and then rest for two days straight. The most important thing is that you complete all five workouts within a seven day time span.

5. Five days a week is too much for me. What should I do?

This program was written with the vast majority of intermediate–advanced trainees in mind. If you only have four days per week to train, you have the option of running my [Fundamentals Upper Lower Program](#) instead. You also have the option of skipping Day 4 (the second lower body focused day), moving the deadlift and hamstring work from Day 4 to Day 5 and keeping the rest of the program the same. Of course, since this will result in lower weekly volume for some muscles, you may not see your best gains by making this modification.

6. How do I know if I am progressing?

Bodybuilding is a marathon, not a sprint. It can be difficult to accurately determine if you are making visual progress day-to-day or even week-to-week. Taking physique progress photos every four–six weeks and comparing them side by side is a good way to detect visual differences that you simply wouldn't notice in the mirror. But ultimately, because of the relationship between strength gain and muscle gain, the main metric I want you to use for tracking your progress is strength. If you're getting stronger, you're progressing. It is strongly recommended to log every workout either in writing (print the program out or use a separate notebook) or in an app, so you don't have to rely on memory to keep track of personal strength records. Taking body measurements a few times a year can also be helpful (arms, thigh, waist, neck). Simply focusing on steady strength progression however, will be your best proxy for determining muscular progress.

7. I can't do "X Exercise". What should I replace it with?

Please see "Exercise Substitutions" on page [97](#).

8. Should/can I add cardio to this program?

I would be extra conservative with cardio on this program. While doing some low intensity cardio will not derail your recovery or progress, if excessive, it will impose an additional recovery demand and may interfere with your recovery from weight training.

The main point of cardio is to create or increase a caloric deficit for fat loss. I would recommend prioritizing the deficit from your diet, rather than relying heavily on cardio. As a general rule, I recommend keeping cardio to an effective minimum on this program. If you must do cardio to achieve your fat loss goals, try to keep it to a maximum of one to four low intensity sessions per week, around 20-30 minutes in duration. High intensity cardio should be used very sparingly, up to once or twice weekly.

9. How much muscle can I expect to gain?

How you respond to training will be largely determined by genetic factors and your specific training history (i.e. How close you are to your genetic "limit"). As a rough ballpark estimate for early intermediates with about one to two years of lifting experience, you can expect to gain roughly 0.5-1 lbs of muscle per month (6-12 lbs of muscle gained in your second year). For intermediate-advanced trainees, 0.25-0.5 lbs of muscle gain per month is reasonable (3-6 lbs of muscle gained per year). For practical purposes, women can divide muscle gain estimates in half.

10. What gym training gear should I use?

Gym gear is optional as there are no required pieces of equipment to gain muscle and increase strength. With that being said, investing in a 10mm prong or lever belt, knee sleeves, squat shoes, and straps can be beneficial in allowing you to lift more weight for certain exercises.

You can find all of my recommended equipment at the following link: <http://Rise.ca/jeff>

11. I have a belt. When should I wear it?

Optionally use a lifting belt for working sets on exercises like squats, deadlifts and overhead (military) presses. Strength is a specific skill, so practice every rep in exactly the same way (meaning, if you're going to use a belt at all, use it consistently and for the same movements). I wouldn't recommend wearing a belt on light warm-up sets.

12. I am not getting sore from my workouts. Is the program not working?

Muscle soreness is largely attributed to eccentric contractions [3] and long muscle length contractions [4]. Delayed onset muscle soreness (DOMS) isn't required for hypertrophy to occur, but the associated muscle damage might play a role in hypertrophy [5]. With that said, the main goal of this program is to build muscle and strength, not to get you feeling sore. In fact, reduced soreness over time indicates that your body is adapting and recovering, which is actually a good thing for continued progress.

13. Should I eat in a caloric deficit, maintenance, or surplus while running this program?

Eating in a slight caloric surplus will yield the best results and best recovery. However, if your main goal is fat loss, eating in a caloric deficit will be necessary. As a beginner, you can continue to make strength and size progress while in a moderate caloric deficit and achieve body recomposition (lose fat and build muscle at the same time) if protein intake is sufficient (1g/lb bodyweight as a ballpark). As an intermediate-advanced level trainee, body recomposition may require more fine-tuning. I would recommend checking out my new [Nutrition Guide](#) on body recomposition for more details there. In all, a caloric surplus is recommended for optimal progress, but some progress can certainly still occur at caloric maintenance and even in a caloric deficit.

14. The warm-up isn't enough for me. Can I add to it?

You can add warm-up exercises to the protocol but your warm-up shouldn't take any longer than 10-20 minutes. It is important to stay injury-free, so don't rush into your workout.

15. Why isn't there much exercise variation from week to week?

Changing exercises from week to week is more likely to flatten out the strength progression curve. This is to ensure both progression by adding volume incrementally to these specific movements and mastery of these movements in terms of form and technique. There is large variation in exercise selection between Blocks 1 and 2 to avoid monotony and create a novel training stimulus to finish the program strong.

16. Isn't this too much volume?

Please see "A disclaimer about volume" on page [90](#).

17. Isn't this too little volume?

Please see "A disclaimer about volume" on page [90](#).

18. What are the blank boxes in the middle of each program for?

They are for you to track your weights each week, so you can focus on strength progression from week 1 to week 8 of each block. Of course, this will only work if you print the program out. The other option would be to keep a notebook and pencil in your lifts each week or use a tracking app. Keeping up with this habit of tracking is going to be an extremely important part of your success with this program.

19. What is best to do once I complete the program?

After you've tested your AMRAPs in Week 10, you have the option of running back through the program again, using your new maxes. Another option would be to use the principles laid out in this program to design your own routine, tailored to your specific goals and weak points. Of course, if you're looking to run a program of similar difficulty, I'd recommend checking out my [Push Pull Legs](#) or [Upper Lower](#) programs if you haven't already.

Please direct all other questions to info@strcng.com. Please avoid directing questions about this program to my social media as it is not a reliable means of making contact with me or getting the correct information.



WARMUP

Warmups serve an important purpose for any training program, but are particularly crucial when running a high frequency full body program. Before we look at exactly how you should warm-up, it's important to consider what warming up serves to accomplish.

The main purpose behind warming up is to increase core body temperature, which improves performance and reduces risk of injury[6] [7]. Your circadian rhythm will largely determine your core body temperature, meaning it varies throughout the day. When you wake up, your core temperature is at its lowest and it increases throughout the day. There seems to be a "sweet spot" for core body temperature in terms of safety and performance, so try not to train too hot or too cold. Generally speaking, breaking a light sweat through some form of cardio activity/machine is a good idea before jumping into any heavy lifting. Doing at least 5-10 minutes of low-moderate intensity cardio is especially prudent if you train early in the morning [8].

Warmups may also serve as a way to increase muscle activation. Dynamic

warmup drills (active stretches that take joints through a range of motion) can improve performance and force output [9]. Don't simply "go through the motions." The goal is to always be very mindful about what muscles are contracting and what movement that contraction is creating.

Lastly, foam rolling has been shown to reduce DOMS (delayed onset muscle soreness) [2] and brief foam rolling with a specific focus on "tight areas" before a session can both improve range of motion [10] and prevent injury [11]. Light foam rolling for two to three minutes prior to lifting is recommended.

Before the first exercise for each bodypart perform a basic loading pyramid:

Pyramid up in weight with three to four light sets, getting progressively heavier.

Such a warmup is only required for Primary Exercises

For example, if you were working up to four sets of 350 lbs for five reps on the squat, you could warm up as follows:

- Bar (45 lbs) x 15 reps
- 135 lbs x 5 reps
- 225 lbs x 4 reps
- 275 lbs x 3 reps
- 315 lbs x 2 reps
- Then begin working sets with 350 lbs for 5 reps

On a %1RM basis, warm up pyramids can be structured like this:

- Bar (45 lbs) x 15 reps
- 40% lbs x 5 reps
- 50% lbs x 4 reps
- 60% lbs x 3 reps
- 70-75% lbs x 2 reps
- Begin working sets

Note: Remember that such an extensive warm up is only required for Primary Exercises.


WARMUP PROTOCOL

EXERCISE	SETS	REPS/TIME	NOTES
LOW INTENSITY CARDIO	N/A	5-10MIN	PICK ANY MACHINE WHICH ELEVATES YOUR HEART RATE TO 100-135BPM
FOAM ROLLING/LACROSSE BALL	N/A	2-3MIN	FOAM ROLL LARGE MUSCLE GROUPS: QUADS, LATS, CALVES. OPTIONALLY USE A LACROSSE BALL FOR SMALLER MUSCLE GROUPS: PECS, DELTS, HAMSTRINGS
FRONT/BACK LEG SWING	2	12	12 EACH LEG
SIDE/SIDE LEG SWING	2	12	12 EACH LEG
STANDING GLUTE SQUEEZE	2	15 SEC	SQUEEZE YOUR GLUTES AS HARD AS POSSIBLE
PRONE TRAP RAISE	2	15	MIND MUSCLE CONNECTION WITH MID BACK
CABLE EXTERNAL ROTATION	2	15	15 EACH SIDE
CABLE INTERNAL ROTATION	2	15	15 EACH SIDE
OVERHEAD SHRUG	2	15	LIGHT SQUEEZE ON TRAPS AT THE TOP OF EACH REP

WEEKLY | VOLUME (SETS)

WEEK	TOTAL VOLUME
1	132
2	127
3	132
4	127
5	146
6	148
7	147
8	145
9	129
10	118

TOTAL WEEKLY VOLUME OF PROGRAM



VOLUME ANALYTICS

WEEKLY VOLUMES	1	2	3	4	5	6	7	8	9	10
	BLOCK 1: WEEK 1	BLOCK 1: WEEK 2	BLOCK 1: WEEK 3	BLOCK 1: WEEK 4	BLOCK 2: WEEK 5	BLOCK 2: WEEK 6	BLOCK 2: WEEK 7	BLOCK 2: WEEK 8	DELOAD WEEK 9	AMRAMP WEEK 10
CHEST	14	14	14	14	12	12	12	13	14	14
UPPER BACK	12	12	12	12	15	15	15	15	12	12
LATS	9	9	9	9	10	11	10	11	9	9
BICEPS	8	8	8	8	9	9	9	9	8	8
TRICEPS	6	6	6	6	6	6	6	6	6	6
DELTS	22	22	22	22	27	28	28	30	22	22
UPPER TRAPS	7	6	7	6	7	7	7	5	6	6
QUADS	10	9	10	9	11	11	11	11	10	9
HAMSTRINGS	10	9	10	9	11	11	11	9	9	9 (12)
GLUTES	20	18	20	18	23	23	23	21	19	18
CALVES	8	8	8	8	8	8	8	8	8	8
ABS	6	6	6	6	7	7	7	7	6	6
TOTAL	132	127	132	127	146	148	147	145	129	118

BODYPART VOLUME DEFINITIONS

Below is a list of exercises we will count for each bodypart in determining the volume analytics on the previous pages. For this program, we are not counting indirect bicep and tricep work (such as vertical pulls and presses) toward volume metrics for these muscles. We will only count working sets and not warmup sets toward weekly volumes per bodypart.

Chest: Dumbbell Incline Press, Barbell Bench Press, Low to High Cable Flye, Dip, Push Up, Low Incline Dumbbell Press, Decline Bench Press

Upper Back: Chest-Supported T-Bar Row, Humble Row, Seated Face Pull, Cable Seated Row, Dumbbell Row, Banded Chest-Supported T-Bar Row, Reverse Pec Deck, Pendlay Row

Lats: Pronated Pulldown, Weighted Pull-Up, Cable-Pullover, Pull-Up, Chin-Up

Biceps: Supinated EZ Bar Curl, Hammer Curl, Incline Dumbbell Curl, Cable Single-Arm Curl, EZ Bar Curl 21s

Triceps: Triceps Pressdown, EZ Bar Skull Crusher, Overhead Triceps Extension

Delts: Dumbbell Incline Press, Barbell Bench Press, Arnold Press, Cable Rope Upright Row, Dumbbell Lateral Raise, Overhead Press, Egyptian Lateral Raise, Barbell Overhead Press, Cable Lateral Raise, Low Incline Dumbbell Press

Upper Traps: Hex Bar or Smith Machine Shrug, Deadlift

Quads: Back Squat, Leg Press, Leg Extension, Single-Leg Leg Press

Hamstrings: Lying Leg Curl, (RDL), Deadlift, Glute Ham Raise, Swiss Ball Leg Curl

Glutes: Back Squat, Barbell Hip Thrust or RDL, Leg Press, Deadlift, Glute Ham Raise, Seated Hip Abduction, Single-Leg Leg Press

Calves: Standing Calf Raises, Eccentric-Accentuated Standing Calf Raises

Abs: Hanging Leg Raises, Bicycle Crunch, Ab Wheel Rollout, Cable Crunch

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 1

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	BACK SQUAT	3	4	4	82.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	DUMBBELL INCLINE PRESS	2	3	8	RPE8	2-3 MIN	-45 DEGREE INCLINE, MIND MUSCLE CONNECTION WITH UPPER PECS	
	LYING LEG CURL	1	3	10	RPE6	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE7	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	15/15	RPE9	1-2 MIN	DROPSET. DROP WEIGHT BY -50% ON SECOND 15 REPS. 30 REPS TOTAL.	
	HANGING LEG RAISE	1	3	12	RPE7	1-2 MIN	ROLL HIPS "UP" AS YOU SQUEEZE LOWER ABS, AVOID SWINGING	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	3	85%	2-4 MIN	SET UP A COMFORTABLE ARCH, 1-2 SECOND PAUSE ON CHEST, EXPLODE OFF CHEST WITH MAX FORCE	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE8	1-2 MIN	START EXTERNALLY ROTATED WITH YOUR ELBOWS DOWN AND OUT, PULL YOUR ELBOWS (NOT HANDS) UP AND IN WHILE SLIGHTLY INTERNALLY ROTATING YOUR SHOULDER	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	3	12	RPE6	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE6	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	ARNOLD PRESS	0	3	10	RPE7	1-3 MIN	EXTERNALLY ROTATE WHILE YOU PRESS. PALMS FACE IN AT BOTTOM, OUT AT TOP	
	TRICEP PRESSDOWN	0	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE6	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE8	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	HUMBLE ROW	1	3	10	RPE8	2-3 MIN	PIN YOUR LOWER CHEST AGAINST THE TOP OF AN INCLINE BENCH: HTTPS://WWW.INSTAGRAM.COM/P/B5N185NBT1M/	
	LEG PRESS	2	3	15	RPE6	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE7	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE9	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	DEADLIFT	3	4	2	85%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DIP	2	3	10	RPE8	2-3 MIN	TUCK YOUR ELBOWS AT 45°, LEAN YOUR TORSO FORWARD 15°, KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	GLUTE HAM RAISE	0	3	10	RPE6	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE7	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE7	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE7	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
	EZ BAR SKULL CRUSHER	1	3	15	RPE7	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	6	75%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	EGYPTIAN LATERAL RAISE	1	3	8	RPE8	1-2 MIN	2-SECOND ECCENTRIC. LEAN AWAY FROM THE CABLE, FOCUS ON SQUEEZING YOUR DELTS	
	CABLE SEATED ROW	1	3	12	RPE7	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE7	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE8	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE7	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE7	1-2 MIN	PRESS ONTO YOUR TOES	
	PUSH UP	0	2	RPE ONLY	RPE6	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 2

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	BACK SQUAT	3	3	6	77.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT Laterally	
	DUMBBELL INCLINE PRESS	2	3	8	RPE8	2-3 MIN	-45 DEGREE INCLINE, MIND MUSCLE CONNECTION WITH UPPER PECS	
	LYING LEG CURL	1	3	10	RPE6	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE7	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	15/15	RPE9	1-2 MIN	DROPSET. DROP WEIGHT BY -50% ON SECOND 15 REPS. 30 REPS TOTAL.	
	HANGING LEG RAISE	1	3	12	RPE7	1-2 MIN	ROLL HIPS "UP" AS YOU SQUEEZE LOWER ABS, AVOID SWINGING	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	5	80%	2-4 MIN	SET UP A COMFORTABLE ARCH, 1-2 SECOND PAUSE ON CHEST, EXPLODE OFF CHEST WITH MAX FORCE	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE8	1-2 MIN	FLYE UP AND IN. PALMS FACE UP AT THE BOTTOM AND DOWN AT THE TOP	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	3	12	RPE6	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE6	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	ARNOLD PRESS	0	3	10	RPE7	1-3 MIN	EXTERNALLY ROTATE WHILE YOU PRESS. PALMS FACE IN AT BOTTOM, OUT AT TOP	
	TRICEP PRESSDOWN	0	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE6	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	HUMBLE ROW	1	3	10	RPE8	2-3 MIN	PIN YOUR LOWER CHEST AGAINST THE TOP OF AN INCLINE BENCH: HTTPS://WWW.INSTAGRAM.COM/P/B5N185NBT1M/	
	LEG PRESS	2	3	15	RPE6	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE7	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE9	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	RESET DEADLIFT	3	3	5	80%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DIP	2	3	10	RPE8	2-3 MIN	TUCK YOUR ELBOWS AT 45°, LEAN YOUR TORSO FORWARD 15°, KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	GLUTE HAM RAISE	0	3	10	RPE7	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE7	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE7	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE7	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
	EZ BAR SKULL CRUSHER	1	3	15	RPE7	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	10	65%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	EGYPTIAN LATERAL RAISE	1	3	8	RPE8	1-2 MIN	2-SECOND ECCENTRIC. LEAN AWAY FROM THE CABLE, FOCUS ON SQUEEZING YOUR DELTS	
	CABLE SEATED ROW	1	3	12	RPE7	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE7	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE8	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE7	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE7	1-2 MIN	PRESS ONTO YOUR TOES	
	PUSH UP	0	2	RPE ONLY	RPE6	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 3

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	BACK SQUAT	3	4	4	85%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	DUMBBELL INCLINE PRESS	2	3	8	RPE9	2-3 MIN	-45 DEGREE INCLINE, MIND MUSCLE CONNECTION WITH UPPER PECS	
	LYING LEG CURL	1	3	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE7	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	15/15	RPE10	1-2 MIN	DROPSET. DROP WEIGHT BY -50% ON SECOND 15 REPS. 30 REPS TOTAL.	
	HANGING LEG RAISE	1	3	12	RPE7	1-2 MIN	ROLL HIPS "UP" AS YOU SQUEEZE LOWER ABS, AVOID SWINGING	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	3	87.5%	2-4 MIN	SET UP A COMFORTABLE ARCH, 1-2 SECOND PAUSE ON CHEST, EXPLODE OFF CHEST WITH MAX FORCE	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE9	1-2 MIN	FLYE UP AND IN. PALMS FACE UP AT THE BOTTOM AND DOWN AT THE TOP	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	3	12	RPE7	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE7	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	ARNOLD PRESS	0	3	10	RPE7	1-3 MIN	EXTERNALLY ROTATE WHILE YOU PRESS. PALMS FACE IN AT BOTTOM, OUT AT TOP	
	TRICEP PRESSDOWN	0	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE7	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	HUMBLE ROW	1	3	10	RPE9	2-3 MIN	PIN YOUR LOWER CHEST AGAINST THE TOP OF AN INCLINE BENCH: HTTPS://WWW.INSTAGRAM.COM/P/B5N185NBT1M/	
	LEG PRESS	2	3	15	RPE7	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE7	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE9	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	DEADLIFT	3	4	2	87.5%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DIP	2	3	10	RPE9	2-3 MIN	TUCK YOUR ELBOWS AT 45°, LEAN YOUR TORSO FORWARD 15°, KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	GLUTE HAM RAISE	0	3	10	RPE7	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE7	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE7	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE7	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
	EZ BAR SKULL CRUSHER	1	3	15	RPE7	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	6	77.5%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	EGYPTIAN LATERAL RAISE	1	3	8	RPE9	1-2 MIN	2-SECOND ECCENTRIC. LEAN AWAY FROM THE CABLE, FOCUS ON SQUEEZING YOUR DELTS	
	CABLE SEATED ROW	1	3	12	RPE7	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE7	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE7	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE7	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE7	1-2 MIN	PRESS ONTO YOUR TOES	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 4

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	BACK SQUAT	3	3	6	80%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT Laterally	
	DUMBBELL INCLINE PRESS	2	3	8	RPE9	2-3 MIN	-45 DEGREE INCLINE, MIND MUSCLE CONNECTION WITH UPPER PECS	
	LYING LEG CURL	1	3	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE8	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	15/15	RPE10	1-2 MIN	DROPSET. DROP WEIGHT BY -50% ON SECOND 15 REPS. 30 REPS TOTAL.	
	HANGING LEG RAISE	1	3	12	RPE8	1-2 MIN	ROLL HIPS "UP" AS YOU SQUEEZE LOWER ABS, AVOID SWINGING	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	5	82.5%	2-4 MIN	SET UP A COMFORTABLE ARCH, 1-2 SECOND PAUSE ON CHEST, EXPLODE OFF CHEST WITH MAX FORCE	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE9	1-2 MIN	FLYE UP AND IN. PALMS FACE UP AT THE BOTTOM AND DOWN AT THE TOP	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	3	12	RPE8	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE8	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	ARNOLD PRESS	0	3	10	RPE8	1-3 MIN	EXTERNALLY ROTATE WHILE YOU PRESS. PALMS FACE IN AT BOTTOM, OUT AT TOP	
	TRICEP PRESSDOWN	0	3	15	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE8	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	HUMBLE ROW	1	3	10	RPE9	2-3 MIN	PIN YOUR LOWER CHEST AGAINST THE TOP OF AN INCLINE BENCH: HTTPS://WWW.INSTAGRAM.COM/P/B5N185NBT1M/	
	LEG PRESS	2	3	15	RPE8	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE8	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE9	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	RESET DEADLIFT	3	3	5	82.5%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DIP	2	3	10	RPE9	2-3 MIN	TUCK YOUR ELBOWS AT 45°, LEAN YOUR TORSO FORWARD 15°, KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	GLUTE HAM RAISE	0	3	10	RPE8	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE8	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE8	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE8	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
	EZ BAR SKULL CRUSHER	1	3	15	RPE8	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	10	67.5%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	EGYPTIAN LATERAL RAISE	1	3	8	RPE9	1-2 MIN	2-SECOND ECCENTRIC. LEAN AWAY FROM THE CABLE, FOCUS ON SQUEEZING YOUR DELTS	
	CABLE SEATED ROW	1	3	12	RPE8	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE8	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE8	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE8	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE8	1-2 MIN	PRESS ONTO YOUR TOES	
	PUSH UP	0	2	RPE ONLY	RPE8	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 5

(BLOCK 2)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	(TOPSET) BACK SQUAT	3	1	3-5	87.5%	2-4 MIN	IF YOU'RE FEELING STRONG AND CONFIDENT, GO FOR 5. IF YOU FEEL LESS STRONG, PLAY IT SAFE WITH 3-4 REPS.	
	(BACK OFF) BACK SQUAT	3	2	5	82.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	BARBELL OVERHEAD PRESS	2	4	6	80%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	SWISS BALL LEG CURL	1	3	10	RPE7	1-2 MIN	PREVENT YOUR HIPS FROM TOUCHING THE GROUND. DIG YOUR HEELS INTO THE BALL	
	CHIN-UP	1	4	8	RPE7	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	SUPINATED EZ BAR CURL	1	3	10+2	RPE10	1-2 MIN	10 REPS WITH GOOD CONTROL + 2 REPS WITH MODERATE CHEATING/MOMENTUM	
	AB WHEEL ROLLOUT	1	3	6	RPE7	1-2 MIN	SQUEEZE YOUR GLUTES, DON'T PULL FROM YOUR ARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	3	87.5%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW INCLINE DUMBBELL PRESS	0	3	15	PRE8	1-2 MIN	15° BENCH ANGLE. TUCK YOUR ELBOWS	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	4	12	RPE7	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	DUMBBELL ROW	1	4	12	RPE7	1-3 MIN	PULL THE DUMBBELL TO YOUR HIP	
	DUMBBELL LATERAL RAISE	0	4	15	RPE7	1-3 MIN	TILT THE DUMBBELL SUCH THAT YOUR PINKY COMES UP FIRST	
	OVERHEAD TRICEP EXTENSION	0	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE7	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	BANDED CHEST-SUPPORTED T-BAR ROW	1	4	10	RPE8	2-3 MIN	BE EXPLOSIVE AT THE BOTTOM, DRIVE ELBOWS BACK HARD!	
	SINGLE-LEG LEG PRESS	2	4	15	RPE7	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	ECCENTRIC-ACCENTUATED STANDING CALF RAISE	1	4	8	RPE7	1-2 MIN	PRESS ONTO YOUR TOES. 4-SECOND ECCENTRIC	
	CABLE ROPE UPRIGHT ROW	0	4	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	CABLE SINGLE-ARM CURL	0	4	8	RPE7	1-2 MIN	KEEP YOUR SHOULDER JOINT HYPEREXTENDED (ELBOW BEHIND TORSO)	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	(TOPSET) DEADLIFT	3	1	2	90%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	(BACK OFF) RESET DEADLIFT	0	3	2	80%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	4	8	RPE7	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	4	10	RPE7	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	4	12	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE7	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE7	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	EZ BAR SKULL CRUSHER	1	3	15	RPE7	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	3	8	80%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	CABLE LATERAL RAISE	1	3	8	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "UP"	
	PENDLAY ROW	1	4	10	RPE7	1-3 MIN	KEEP A FLAT BACK, PULL YOUR ELBOWS BACK AT 45 DEGREE ANGLE	
	SEATED HIP ABDUCTION	1	4	20	RPE7	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	EZ BAR CURL 21S	1	2	7/7/7	RPE7	1-2 MIN	FIRST 7 REPS BOTTOM HALF OF ROM, NEXT 7 REPS TOP HALF OF ROM, LAST 7 REPS FULL ROM	
	CABLE CRUNCH	1	4	15	RPE7	1-2 MIN	FOCUS ON FLEXING YOUR SPINE. AVOID YANKING WITH YOUR ARMS	
	STANDING CALF RAISE	1	4	12	RPE7	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 6

(BLOCK 2)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	(TOPSET) BACK SQUAT	3	1	2	92.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	(BACK OFF) BACK SQUAT	3	2	3	85%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	BARBELL OVERHEAD PRESS	2	4	8	75%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	SWISS BALL LEG CURL	1	3	10	RPE7	1-2 MIN	PREVENT YOUR HIPS FROM TOUCHING THE GROUND. DIG YOUR HEELS INTO THE BALL	
	CHIN-UP	1	4	8	RPE7	2-3 MIN	SUPINATED (UNDERHAND) SHOULDER WIDTH GRIP, PULL WITH LATS	
	SUPINATED EZ BAR CURL	1	3	10+2	RPE10	1-2 MIN	10 REPS WITH GOOD CONTROL + 2 REPS WITH MODERATE CHEATING/MOMENTUM	
	AB WHEEL ROLLOUT	1	3	12	RPE7	1-2 MIN	SQUEEZE YOUR GLUTES, DON'T PULL FROM YOUR ARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	5	85%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW INCLINE DUMBBELL PRESS	0	3	15	RPE8	1-2 MIN	15° BENCH ANGLE. TUCK YOUR ELBOWS	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	4	12	RPE7	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	DUMBBELL ROW	1	4	12	RPE7	1-3 MIN	PULL THE DUMBBELL TO YOUR HIP	
	DUMBBELL LATERAL RAISE	0	4	15	RPE7	1-3 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	OVERHEAD TRICEP EXTENSION	0	3	15	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE7	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	4	3	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	BANDED CHEST-SUPPORTED T-BAR ROW	1	4	10	RPE8	2-3 MIN	BE EXPLOSIVE AT THE BOTTOM, DRIVE ELBOWS BACK HARD!	
	SINGLE-LEG LEG PRESS	2	4	15	RPE7	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	ECCENTRIC-ACCENTUATED STANDING CALF RAISE	1	4	8	RPE7	1-2 MIN	PRESS ONTO YOUR TOES. 4-SECOND ECCENTRIC	
	CABLE ROPE UPRIGHT ROW	0	4	10	RPE7	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	CABLE SINGLE-ARM CURL	0	4	8	RPE7	1-2 MIN	KEEP YOUR SHOULDER JOINT HYPEREXTENDED (ELBOW BEHIND TORSO)	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	(TOPSET) DEADLIFT	3	1	4	85%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	(BACK OFF) RESET DEADLIFT	0	3	4	75%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	4	8	RPE7	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	4	10	RPE7	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	4	12	RPE7	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE7	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE7	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	REVERSE PEC DECK	1	3	20	RPE7	1-2 MIN	SWING THE WEIGHT "OUT", NOT "BACK"	
	EZ BAR SKULL CRUSHER	1	3	15	RPE7	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	4	82.5%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	CABLE LATERAL RAISE	1	3	8	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "UP"	
	PENDLAY ROW	1	4	12	RPE7	1-3 MIN	KEEP A FLAT BACK, PULL YOUR ELBOWS BACK AT 45 DEGREE ANGLE	
	SEATED HIP ABDUCTION	1	4	20	RPE7	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	EZ BAR CURL 21S	1	2	10	RPE7	1-2 MIN	FIRST 7 REPS BOTTOM HALF OF ROM, NEXT 7 REPS TOP HALF OF ROM, LAST 7 REPS FULL ROM	
	CABLE CRUNCH	1	4	15	RPE7	1-2 MIN	FOCUS ON FLEXING YOUR SPINE. AVOID YANKING WITH YOUR ARMS	
	STANDING CALF RAISE	1	4	12	RPE7	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 7

(BLOCK 2)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	(TOPSET) BACK SQUAT	3	1	8	82.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	(BACK OFF) BACK SQUAT	3	2	8	70%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	BARBELL OVERHEAD PRESS	2	4	10	65%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	SWISS BALL LEG CURL	1	3	10	RPE8	1-2 MIN	PREVENT YOUR HIPS FROM TOUCHING THE GROUND. DIG YOUR HEELS INTO THE BALL	
	CHIN-UP	1	4	8	RPE8	2-3 MIN	SUPINATED (UNDERHAND) SHOULDER WIDTH GRIP, PULL WITH LATS	
	SUPINATED EZ BAR CURL	1	3	10+2	RPE10	1-2 MIN	10 REPS WITH GOOD CONTROL + 2 REPS WITH MODERATE CHEATING/MOMENTUM	
	AB WHEEL ROLLOUT	1	3	12	RPE8	1-2 MIN	SQUEEZE YOUR GLUTES, DON'T PULL FROM YOUR ARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	10	77.5%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW INCLINE DUMBBELL PRESS	0	3	15	RPE8	1-2 MIN	15° BENCH ANGLE. TUCK YOUR ELBOWS	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	4	12	RPE8	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	DUMBBELL ROW	1	4	12	RPE8	1-3 MIN	PULL THE DUMBBELL TO YOUR HIP	
	DUMBBELL LATERAL RAISE	0	4	15	RPE8	1-3 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	OVERHEAD TRICEP EXTENSION	0	3	15	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE8	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	10	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	BANDED CHEST-SUPPORTED T-BAR ROW	1	4	10	RPE8	2-3 MIN	BE EXPLOSIVE AT THE BOTTOM, DRIVE ELBOWS BACK HARD!	
	SINGLE-LEG LEG PRESS	2	4	15	RPE8	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	ECCENTRIC-ACCENTUATED STANDING CALF RAISE	1	4	8	RPE8	1-2 MIN	PRESS ONTO YOUR TOES. 4-SECOND ECCENTRIC	
	CABLE ROPE UPRIGHT ROW	0	4	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	CABLE SINGLE-ARM CURL	0	4	8	RPE8	1-2 MIN	KEEP YOUR SHOULDER JOINT HYPEREXTENDED (ELBOW BEHIND TORSO)	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	(TOPSET) DEADLIFT	3	1	6	82.5%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	(BACK OFF) RESET DEADLIFT	0	3	6	70%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	4	8	RPE 7	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	4	10	RPE8	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	4	12	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE8	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE8	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	REVERSE PEC DECK	1	3	20	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "BACK"	
	EZ BAR SKULL CRUSHER	1	3	15	RPE8	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	6	80%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	CABLE LATERAL RAISE	1	3	8	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "UP"	
	PENDLAY ROW	1	4	12	RPE8	1-3 MIN	KEEP A FLAT BACK, PULL YOUR ELBOWS BACK AT 45 DEGREE ANGLE	
	SEATED HIP ABDUCTION	1	4	20	RPE8	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	EZ BAR CURL 21S	1	2	10	RPE8	1-2 MIN	FIRST 7 REPS BOTTOM HALF OF ROM, NEXT 7 REPS TOP HALF OF ROM, LAST 7 REPS FULL ROM	
	CABLE CRUNCH	1	4	15	RPE8	1-2 MIN	FOCUS ON FLEXING YOUR SPINE. AVOID YANKING WITH YOUR ARMS	
	STANDING CALF RAISE	1	4	12	RPE8	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 8

(BLOCK 2)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	(TOPSET) BACK SQUAT	3	1	2	92.5%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	(BACK OFF) BACK SQUAT	3	2	2	85%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	BARBELL OVERHEAD PRESS	2	4	5	80%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	SWISS BALL LEG CURL	1	3	10	RPE8	1-2 MIN	PREVENT YOUR HIPS FROM TOUCHING THE GROUND. DIG YOUR HEELS INTO THE BALL	
	CHIN-UP	1	4	8	RPE8	2-3 MIN	SUPINATED (UNDERHAND) SHOULDER WIDTH GRIP, PULL WITH LATS	
	SUPINATED EZ BAR CURL	1	3	10+2	RPE10	1-2 MIN	10 REPS WITH GOOD CONTROL + 2 REPS WITH MODERATE CHEATING/MOMENTUM	
	AB WHEEL ROLLOUT	1	3	12	RPE8	1-2 MIN	SQUEEZE YOUR GLUTES, DON'T PULL FROM YOUR ARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	4	2	90%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW INCLINE DUMBBELL PRESS	0	3	15	RPE8	1-2 MIN	15° BENCH ANGLE. TUCK YOUR ELBOWS	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	4	12	RPE8	2-3 MIN	HIP THRUST IF GLUTES ARE PRIORITY, RDL IF HAMSTRINGS ARE PRIORITY FOR YOU. FOCUS ON MIND MUSCLE CONNECTION.	
	DUMBBELL ROW	1	4	12	RPE8	1-3 MIN	PULL THE DUMBBELL TO YOUR HIP	
	DUMBBELL LATERAL RAISE	0	4	15	RPE8	1-3 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	OVERHEAD TRICEP EXTENSION	0	3	15	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE8	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	4	6	RPE9	2-3 MIN	1.5X SHOULDER WIDTH GRIP, PULL YOUR CHEST TO THE BAR	
	BANDED CHEST-SUPPORTED T-BAR ROW	1	4	10	RPE8	2-3 MIN	BE EXPLOSIVE AT THE BOTTOM, DRIVE ELBOWS BACK HARD!	
	SINGLE-LEG LEG PRESS	2	4	15	RPE8	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	ECCENTRIC-ACCENTUATED STANDING CALF RAISE	1	4	8	RPE8	1-2 MIN	PRESS ONTO YOUR TOES. 4-SECOND ECCENTRIC	
	CABLE ROPE UPRIGHT ROW	0	4	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	CABLE SINGLE-ARM CURL	0	4	8	RPE8	1-2 MIN	KEEP YOUR SHOULDER JOINT HYPEREXTENDED (ELBOW BEHIND TORSO)	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	(TOPSET) DEADLIFT	3	1	2	95%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	(BACK OFF) RESET DEADLIFT	0	1	3	85%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	4	8	RPE 8	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	4	10	RPE8	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	4	12	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE8	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE8	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	REVERSE PEC DECK	1	3	20	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "BACK"	
	EZ BAR SKULL CRUSHER	1	3	15	RPE8	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	5	3	87.5%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	CABLE LATERAL RAISE	1	3	8	RPE8	1-2 MIN	SWING THE WEIGHT "OUT", NOT "UP"	
	PENDLAY ROW	1	4	12	RPE8	1-3 MIN	KEEP A FLAT BACK, PULL YOUR ELBOWS BACK AT 45 DEGREE ANGLE	
	SEATED HIP ABDUCTION	1	4	20	RPE8	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	EZ BAR CURL 21S	1	2	10	RPE8	1-2 MIN	FIRST 7 REPS BOTTOM HALF OF ROM, NEXT 7 REPS TOP HALF OF ROM, LAST 7 REPS FULL ROM	
	CABLE CRUNCH	1	4	15	RPE8	1-2 MIN	FOCUS ON FLEXING YOUR SPINE. AVOID YANKING WITH YOUR ARMS	
	STANDING CALF RAISE	1	4	12	RPE8	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 9

(DELOAD)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	BACK SQUAT	3	4	4	75%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT LATERALLY	
	BARBELL BENCH PRESS	2	3	4	70%	2-3 MIN	SPEED REPS - PRESS BAR EXPLOSIVELY OFF CHEST	
	LYING LEG CURL	1	3	10	RPE6	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE6	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	10	RPE6	1-2 MIN	DROPSET. PRESS YOUR PINKY INTO THE BAR HARDER THAN YOUR POINTER FINGER	
	CABLE CRUNCH	1	3	12	RPE6	1-2 MIN	FOCUS ON FLEXING YOUR LOWER BACK	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	3	3	80%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE6	1-2 MIN	FLYE UP AND IN. PALMS FACE UP AT THE BOTTOM AND DOWN AT THE TOP	
	DEADLIFT	2	3	3	75%	2-3 MIN	EXPLOSIVE REPS OFF THE FLOOR - SHOULD FEEL LIGHT AND FAST	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE6	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	DUMBBELL LATERAL RAISE	0	3	10	RPE6	1-3 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	TRICEP PRESSDOWN	0	3	15	RPE6	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE6	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WIIDE GRIP LAT PULLDOWN	2	3	6	RPE6	2-3 MIN	PULL WITH YOUR CHEST TO THE BAR	
	CHEST SUPPORTED T BAR ROW	1	3	10	RPE6	2-3 MIN	FOCUS ON RETRACTION, TRANSVERSE ABDUCTION	
	LEG PRESS	2	3	12	RPE6	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE6	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE6	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE6	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	DEADLIFT	3	3	2	80%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	3	8	RPE 7	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	3	10	RPE6	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE6	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE6	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE6	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE6	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
	EZ BAR SKULL CRUSHER	1	3	15	RPE6	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	6	75%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	BARBELL BENCH PRESS	1	3	2	85%	1-2 MIN	PRACTICE SET UP AND EXPLOSIVE TECHNIQUE FOR AMRAP NEXT WEEK	
	CABLE SEATED ROW	1	3	12	RPE6	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE6	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE6	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE6	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE6	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	

HIGH FREQUENCY
FULL BODY
PROGRAM

WEEK 10

(AMRAPs)

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 1 LOWER FOCUSED FULL BODY	TOPSET: BACK SQUAT	3	1	AMRAP	90%	2-4 MIN	AS MANY REPS AS POSSIBLE (AMRAP) - ALWAYS USE A SPOTTER AND GOOD TECHNIQUE	
	BACK SQUAT	0	2	6	80%	2-4 MIN	SIT BACK AND DOWN, 15° TOE FLARE, DRIVE YOUR KNEES OUT Laterally	
	DUMBBELL INCLINE PRESS	2	3	8	RPE5	2-3 MIN	VERY LIGHT WEIGHT - AVOID INTERFERENCE WITH BENCH AMRAP TOMORROW	
	LYING LEG CURL	1	3	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR HAMSTRINGS TO MOVE THE WEIGHT	
	PRONATED PULLDOWN	1	3	10	RPE8	2-3 MIN	PULL YOUR ELBOWS DOWN AND IN	
	SUPINATED EZ BAR CURL	1	3	10	RPE9	1-2 MIN	DROPSET. PRESS YOUR PINKY INTO THE BAR HARDER THAN YOUR POINTER FINGER	
	CABLE CRUNCH	1	3	12	RPE6	1-2 MIN	FOCUS ON FLEXING YOUR LOWER BACK	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 2 CHEST FOCUSED FULL BODY	BARBELL BENCH PRESS	3	1	AMRAP	92.5%	2-4 MIN	AS MANY REPS AS POSSIBLE (AMRAP) - ALWAYS USE A SPOTTER AND GOOD TECHNIQUE	
	BARBELL BENCH PRESS	0	2	5	85%	2-4 MIN	ELBOWS AT A 45° ANGLE. KEEP YOUR SCAPULAE RETRACTED AND DEPRESSED	
	LOW TO HIGH CABLE FLYE	0	3	15	RPE 9	1-2 MIN	FLYE UP AND IN. PALMS FACE UP AT THE BOTTOM AND DOWN AT THE TOP	
	BARBELL HIP THRUST OR ROMANIAN DEADLIFT	2	3	12	RPE5	2-3 MIN	VERY LIGHT WEIGHT TO AVOID INTERFERENCE WITH DEADLIFT AMRAPs ON DAY 4	
	CHEST-SUPPORTED T-BAR ROW	1	3	15	RPE8	1-3 MIN	FULLY PROTRACT AT BOTTOM, RETRACT AT TOP	
	ARNOLD PRESS	0	3	10	RPE8	1-3 MIN	EXTERNALLY ROTATE WHILE YOU PRESS. PALMS FACE IN AT BOTTOM, OUT AT TOP	
	TRICEP PRESSDOWN	0	3	15	RPE9	1-2 MIN	FOCUS ON SQUEEZING YOUR TRICEPS TO MOVE THE WEIGHT	
	HEX BAR OR SMITH MACHINE SHRUG	1	3	12	RPE10	1-2 MIN	SHRUG UP AND IN, PULL SHOULDERS UP TO EARS!	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 3 BACK FOCUSED FULL BODY	WEIGHTED PULL-UP	2	3	6	RPE9	2-3 MIN	PULL WITH YOUR CHEST TO THE BAR	
	HUMBLE ROW	1	3	10	RPE 8	2-3 MIN	PIN YOUR LOWER CHEST AGAINST THE TOP OF AN INCLINE BENCH: HTTPS://WWW.INSTAGRAM.COM/P/B5Ni85NBT1M/	
	LEG PRESS	2	3	15	RPE8	2-3 MIN	LOW/MEDIUM/HIGH FOOT PLACEMENT, DON'T ALLOW YOUR LOWER BACK TO ROUND	
	STANDING CALF RAISE	1	4	8	RPE8	1-2 MIN	1-2 SECOND PAUSE AT THE BOTTOM OF EACH REP	
	CABLE ROPE UPRIGHT ROW	0	3	10	RPE8	1-2 MIN	FOCUS ON SQUEEZING THE UPPER TRAPS AT THE TOP	
	HAMMER CURL	0	3	8	RPE10	1-2 MIN	3-SECOND ECCENTRIC. ARCH THE DUMBBELL "OUT" NOT "UP", FOCUS ON SQUEEZING YOUR FOREARMS	

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 4 LOWER FOCUSED FULL BODY 2	DEADLIFT	3	1	AMRAP	90%	3-5 MIN	AS MANY REPS AS POSSIBLE (AMRAP) - ALWAYS USE GOOD TECHNIQUE	
	DEADLIFT	3	2	5	85%	3-5 MIN	BRACE YOUR LATS, CHEST TALL, HIPS HIGH, PULL THE SLACK OUT OF THE BAR PRIOR TO MOVING IT OFF THE GROUND	
	DECLINE BENCH PRESS	2	3	8	RPE 7	2-3 MIN	CONSTANT TENSION REPS, TOUCH BAR TO CHEST	
	GLUTE HAM RAISE	0	3	10	RPE 8	1-2 MIN	KEEP LOWER BACK STRAIGHT, USE HAMSTRINGS TO CURL YOUR BODY UP	
	LEG EXTENSION	1	3	15	RPE8	1-2 MIN	FOCUS ON SQUEEZING YOUR QUADS TO MOVE THE WEIGHT	
	CABLE PULL-OVER	1	3	15	RPE8	1-3 MIN	LEAN YOUR TORSO AT A 45° ANGLE, FOCUS ON PULLING THE WEIGHT STRAIGHT DOWN, NOT "IN"	
	DUMBBELL LATERAL RAISE	1	3	20	RPE8	1-2 MIN	RAISE THE DUMBBELL "OUT" NOT "UP", MIND MUSCLE CONNECTION WITH MIDDLE FIBERS	
	ROPE FACE PULL	1	3	20	RPE8	1-2 MIN	PULL YOUR ELBOWS UP AND OUT, RETRACT YOUR SCAPULAE	
EZ BAR SKULL CRUSHER	1	3	15	RP8	1-2 MIN	ARC THE BAR BACK BEHIND YOUR HEAD, KEEP CONSTANT TENSION ON TRICEPS		

WORKOUT	EXERCISE	# OF WARMUP SETS	# OF WORKING SETS	REPS / DURATION	RPE/%	REST	NOTES	LSRPE
DAY 5 DELTOID FOCUSED FULL BODY	OVERHEAD PRESS	3	4	10	80%	2-3 MIN	SQUEEZE YOUR GLUTES TO KEEP YOUR TORSO UPRIGHT, CLEAR YOUR HEAD OUT OF THE WAY, PRESS UP AND SLIGHTLY BACK	
	EGYPTIAN LATERAL RAISE	1	3	8	RPE9	1-2 MIN	2-SECOND ECCENTRIC. LEAN AWAY FROM THE CABLE, FOCUS ON SQUEEZING YOUR DELTS	
	CABLE SEATED ROW	1	3	12	RPE8	1-3 MIN	FOCUS ON SCAPULAR RETRACTION, PULL YOUR ELBOWS DOWN AND IN	
	SEATED HIP ABDUCTION	1	3	20	RPE8	1-2 MIN	FOCUS ON DRIVING YOUR KNEES OUT	
	INCLINE DUMBBELL CURL	1	2	10	RPE10	1-2 MIN	BRACE UPPER BACK AGAINST BENCH, 45 DEGREE INCLINE, KEEP SHOULDERS BACK AS YOU CURL	
	BICYCLE CRUNCH	1	3	15	RPE8	1-2 MIN	FOCUS ON FLEXING AND ROTATING YOUR SPINE, BRING YOUR LEFT ELBOW TO RIGHT KNEE, RIGHT ELBOW TO LEFT KNEE	
	STANDING CALF RAISE	1	4	12	RPE8	1-2 MIN	PRESS ONTO YOUR TOES	
	PUSH UP	0	2	RPE ONLY	RPE7	1-2 MIN	PERFORM AS MANY REPS AS YOU CAN TO HIT TARGET RPE	



PROGRAM EXPLAINED

What is the best training split? Ask an average gym-goer and he or she will probably say some kind of body part split. Maybe something that looks like this:

Bodypart ("Bro") Split

Monday – Chest

Tuesday – Back

Wednesday – Legs

Thursday – Shoulders/abs

Friday – Arms

Saturday – Rest

Sunday – Rest

Someone a bit more savvy might suggest a push/pull/legs split or upper/lower routine. I think these two splits are more effective because they have you hitting every muscle at least twice per week – a criterion outlined in the scientific literature as being superior for optimizing growth [12].

However, I think the question “what is the BEST split?” is actually somewhat misguided. Even though it is crucial to consider how you organize your training throughout the week to optimize performance, recovery and the other variables for driving growth, there isn’t a single “best” way to achieve this for everyone. In fact, the entire point of any training split should be to accomplish the following goals:

- Allow for adherence (i.e. does it fit your schedule?)
- Allow for progression from week to week (and/or month to month)
- Allow for recovery between sessions and between weeks
- Allow for proper weekly volume for progress
- Allow for proper per-session volume for progress
- Allow for appropriate training intensity for growth

If your training split can tick all of these boxes, then it CAN work. With that said, I think there are several potential advantages to the full body split that I will outline below.

THE HIGH FREQUENCY ADVANTAGE

1. MORE MPS SPIKES

The first factor most people turn to when considering the advantages of high frequency training is its impact on muscle protein synthesis (MPS): the synthesis of new muscle proteins. Assuming you eat a reasonable amount of protein within a reasonable time frame after training (on the scale of hours–days, not minutes–hours), your muscles begin to synthesize new muscle tissue through elevated MPS. However, as it turns out, this spike in MPS doesn’t last nearly as long as some might hope. Research suggests that MPS remains elevated for only ~48–72 hours after training in beginners, and as short as 24 hours in more experienced lifters [\[13–15\]](#). This means

that, as someone with substantial weight training experience, the process driving new muscle growth has more or less returned to baseline after about a day or so. Therefore, the theory goes, if you wait a full week before hitting a muscle again, MPS for that muscle is being “wasted” for something like 5-6 days of the week.

Let’s take the chest, for example. If we hit the chest on Monday morning, MPS will be elevated in the chest for all of Monday and then will return back to near baseline levels sometime on Tuesday. So rather than leaving MPS at baseline levels for the entire week, we can (in theory) maximize new muscle synthesis by hitting the chest again on Tuesday (and again on Wednesday, Thursday and Friday).

This line of reasoning lead many pioneers to experiment with high frequency training about a decade ago, but more recent evidence has started to call the practical significance of the MPS theory into question. For example, even though acute increases in muscle protein synthesis do seem to correlate with hypertrophy under some circumstances, [15, 16] MPS fails to take into account the other side of the muscle growth equation: muscle protein breakdown (MPB). So simply spiking MPS more often may not actually lead to more muscle growth over time – it’s actually more complex than that. To determine whether or not these frequent MPS spikes do, in fact, translate to more muscle growth over time, several long-term training studies have been pooled together via meta-analysis. As it turns out, while the effect is most likely significant when going from hitting each muscle 1x to 2x per week, training with weekly frequencies of three and higher don’t seem to add up to much. [17-19]

This has lead most experts in the field to conclude that frequency should be seen primarily as a tool for managing weekly training volume, rather than a major contributor to hypertrophy on its own. So, long story short, even though we can’t totally write off frequent MPS spikes as a non-factor for high frequency training, it probably isn’t the major player we once thought it was. On this note, let’s turn

our attention to four more prominent and practical advantages of high frequency training.

2. ALLOWS FOR HIGHER WEEKLY VOLUMES

I think one of the main advantages of high frequency training is that in the real world, higher frequencies tend to create higher weekly volumes. Volume (the number of tough, working sets per week) has been described as having a dose-response relationship with hypertrophy in the scientific literature [20], meaning, more weekly volume causes more growth (up to a point). So if a higher training frequency can allow you to perform more weekly volume, all else equal, that should lead to more growth (again, up to a point). And this does seem to be the way it works out. After all, if you only hit your shoulders once a week, you have to cram ALL your weekly volume into a single workout. This program starts with 22 sets of shoulder work. Imagine trying to cram all that volume into one (or even two) workouts per week!

3. ALLOWS FOR HIGHER QUALITY VOLUMES

Not only will higher frequencies generally allow for higher weekly volumes, they also tend to allow for higher quality volume per training session. The main reason for this is that you will typically only perform one (maybe two) exercises for each muscle per workout, meaning you'll feel fresher every time you hit a muscle. Let's take the quads for example. On a "bro split" you might have to do squats, leg press, and lunges before getting around to leg extensions. Now tell me: how much effort are you really going to be putting into those extensions? Even if you have the mental fortitude of a champion, there is no question that your quads will be highly fatigued, which might hurt your performance. Contrast this with a high frequency approach, where on any given day, you'll usually only be performing one exercise for the quads. This means on one day you'll be hitting leg extensions first, without the extra fatigue imposed

from the squats, leg press, lunges, etc. As such, not only will you likely be able to lift more weight, you'll be more mentally alert and focused on the muscle as well.

4. LESS RISK FOR "WASTED SETS"

There has been evidence accumulating lately, supporting the idea of a "per-session volume threshold" [21]. This basically means that in a single workout, there will come a point where doing more sets doesn't do anything extra for hypertrophy (and could possibly be disadvantageous). It isn't exactly clear where that upper ceiling is, as it's likely individual and contingent on many other factors, but some rodent research does suggest that it could be somewhere in the ballpark of 5 sets per workout [22]. Another independent meta-analysis from James Krieger suggests that the per-session limit "appears to be around 10 sets in a single session" [19]. This would mean that once you start exceeding 5-10 sets in a single workout for any given muscle, you'd be better off simply splitting any additional volume out into another session. Since with high frequency full body training, we're generally only hitting three to five sets for a given muscle in a single session, there is virtually zero risk of having any of those sets be "wasted".

5. MORE "PRACTICE" WITH LIFTS

I like to think of lifting as a skill. Like any skill, the more you practice it, the better you tend to get at it. This is especially true if you're "practicing smart." In the case of full body training, we're hitting each muscle group very frequently, allowing you to hone in on the mind-muscle connection, joint actions and bodily awareness associated with the many muscle groups on a daily basis. This will make you a more effective lifter, leading to better returns on your time investment in the gym.

HIGH FREQUENCY CONCERNS

Despite these advantages to adopting a higher frequency approach, there are also several potential concerns with this style of training. If we don't pay attention to these caveats, a high frequency approach can indeed lead to stunted progress.

1. NOT MUCH TIME FOR RECOVERY BETWEEN SESSIONS

An obvious aspect of training your full body every training day is that each individual muscle doesn't have much time to recover between sessions. Most trainees are not accustomed to hitting their chest on Monday and then hitting it again on Tuesday (and Wednesday, Thursday and Friday). In fact, this is the biggest wall people put up in defiance of a high frequency approach: "hitting a muscle every day will cause overtraining!" I actually think this retort is understandable. If you took a typical "Monday Chest Day" including the bench press, incline press, cable crossovers and dips and performed that workout five times in a single week, by Friday, your chest would be beaten to a pulp. So obviously, if we're going to adopt a high frequency approach, we must modify the individual training sessions by reducing per-session volume and carefully managing proximity to failure.

Although it is oversimplified, a helpful way to think of high frequency training is as follows:

Rather than doing this for your chest...

Monday – Bench Press [3 sets], Cable Crossovers [3 sets], Incline DB Press [3 sets], Dips [3 sets]

Tuesday – Rest (no chest)

Wednesday – Rest (no chest)

Thursday – Rest (no chest)

Friday – Rest (no chest)

Do this instead...

Monday – Bench Press [3 sets]

Tuesday – Cable Crossovers [3 sets]

Wednesday – Incline DB Press [3 sets]

Thursday – Dips [3 sets]

Friday – Rest

So, in essence, we're just taking a typical "chest day," and rather than clumping all of the volume on one day, we're instead splitting it up across four or five days throughout the week. And, of course, we can do something similar with the other muscles. Hopefully, this makes it clear that rather than doing 12 sets of chest on "chest day", now we're simply doing three sets of chest across four "full body days." In other words, the volume per-workout-per-muscle must be decreased when switching to high frequency training.

Another modification that must be made is that sets should not be taken too close to failure, especially within the first few weeks. Because there is only about 24 hours of recovery between sessions, consistently training to failure will be much more likely to result in an overlap of soreness, excessive metabolite build-up and potential for reduced performance as the week goes on. To avoid these problems, it is absolutely crucial that most sets are taken to an RPE no higher than 7-9 in the first few weeks, with RPEs of 9-10 being used more sparingly. This may sound counterintuitive as it can be tempting to push yourself as hard as possible when starting a new program. However, intensity is something that must be gradually increased on this program for optimal progress over the long term. A combination of high intensity and high frequency can result in an unproductive program if pushed too high, too early.

Remember: contrary to popular opinion, the hypertrophic difference between going all the way to failure and leaving one to three reps in the tank is very small, but the

fatigue difference can be quite big. To emphasize recovery and progress, it simply makes more sense to leave those few reps in the tank, especially when running a high frequency plan and even more so in the first few weeks as your body adapts to the new protocol.

As your body grows accustomed to the new training style, a phenomenon known as the repeated bout effect will kick in sometime around the two to three week mark. This will result in the fastest recovery you've ever experienced and you will most likely never feel sore after training anymore. This is a good thing, as soreness is simply an impediment to performance.

To quickly recap: in order for high frequency training to be as effective as it can be, you must reduce training volume per-muscle per-session and avoid failure on most sets, especially at the beginning.

2. TRAINING WHILE SORE MAY BE EXPECTED (AT FIRST)

A second potential concern that many of you may notice is that you end up having to train a muscle while it is still sore in order to stick to the program schedule. For example, if you hit your chest on Monday and experience DOMS on Tuesday, in order to stick to the plan, Tuesday's workout will involve hitting chest again while it's still feeling sore.

Granted, in this program, Day 1 calls for three sets of eight reps on the Incline Dumbbell Press to an RPE of eight. If you feel debilitatingly sore on Day 2, that may be an indication that you are not truly an intermediate-advanced trainee and may be better off running through a [more basic program](#) first. With that said, it is normal to feel some soreness in the day or two following training, especially if any of the exercises are new to you or challenging you in a new way (such as through the use

of rep ranges you aren't accustomed to).

As a general rule, it is okay to train the same muscle while it is still sore as long as it does not impede your ability to use a full range of motion safely and comfortably. If you are sore to the point that you cannot complete a full range of motion without pain or discomfort, you should skip the volume for that sore muscle and add it on to another workout later in the week, once you're feeling more recovered.

Because lingering soreness is a potential concern on this program, it is even more imperative than usual that you complete a FULL warm up (see page [35](#)). The more soreness you have, the more merit tools like foam rolling and dynamic stretching can have before training.

As mentioned earlier, after one to three weeks on this program, soreness should be drastically lessened as your body adapts to the frequency – so this is mostly something to be aware of for the first few weeks on the program. If persistent soreness continues to be an issue past the first few weeks, that is an indication that you are either pushing sets too close to failure (i.e. not following the assigned target RPE properly) or are not using consistent technique in the gym.

3. POTENTIAL FOR JOINT OVERUSE

A third potential concern has to do with joint overuse. The best way to avoid this problem is by choosing exercises that will not load the joints in the same way on consecutive days. For example, rather than doing a deadlift and a Romanian deadlift on back to back days, it would be much smarter to space those exercises out by at least one day. Similarly, in this program, the day we squat (an exercise that places a high demand on the knees and spine) is followed up by a day that utilizes the barbell hip thrust: an exercise with minimal knee demands and no axial loading

on the spine at all.

Granted, while joint overuse may pose a concern on some high frequency programs, this program selects and organizes exercises in such a way that joint overuse is of very minimal concern. Still, the potential for joint stress further highlights the importance of a proper warm up and carefully monitoring effort in the gym (adhering to the target RPEs).

It is also advised that you pay attention to your own biofeedback on any program. It is better to play it safe, especially at first, by switching to a lower impact exercise if you anticipate a specific exercise giving you issues or if you feel achy. For example, you have the option of swapping barbell squats for hack squats if your lower back is feeling particularly cranky. Of course, I encourage you to follow the program as it is written if you can, but sometimes a judgement call will need to be made and I encourage you to exercise caution when there is risk of pain or injury. In these instances, the Exercise Substitutions section may be helpful.

PROGRESSION

This program consists of two separate blocks, each lasting four weeks with an optional deload and AMRAP max testing week to finish out the program strong.

BLOCK 1

As mentioned earlier, Block 1 starts out with relatively low intensities, with most exercises falling in the RPE 6-7 range as you adapt to higher frequencies. Week 2 sees a moderate increase in rep volume on primary exercises, which will increase the overall difficulty of that training week. In Week 3, intensity (effort) increases as the target RPE for each movement bumps up to the 7-8 range. The intensity peaks in

Week 4 with more RPE 8 and 9 sets to finish out the first block of training.

The primary exercises in Block 1 use a %1RM approach for assigning load and ensuring progression. As you will see, the amount of weight, reps and sets vary from week to week for these movements. This means we are using weekly undulating periodization to progress on these movements (i.e. training variables change from week to week). For the secondary and tertiary movements, we are using a simple linear progression, where your goal will be to add some weight to the movement from week to week. This should be clear from the increase in RPEs seen from Week 1 to Week 4. On certain exercises where lighter weights must be used, such as lateral raises, or bodyweight exercises like hanging leg raises, it may be more realistic to progress through the use of better control (such as by slowing the negative marginally more from week to week) or development of a stronger mind-muscle connection. Tracking your weights and LSRPE is crucial to ensuring progression and making sure you're not just spinning your wheels and doing the exact same thing from week to week.

BLOCK 2

In Block 2, things get much more interesting. At this point, you have fully adjusted to the high training frequency and the repeated bout effect is in full swing. You should no longer be feeling sore after training sessions and you should be handling heavier weights than what you were using in Week 1 (and with better form too!)

As you will see, while the core exercises remain the same, many exercises have been switched out for new variations. Here we are putting the adage "sometimes a change is as good as a rest" to use. In this block, we'll be making use of top sets and back off sets to emphasize strength development on primary exercises. Similar to Block 1, because frequency is high, it is important to be more moderate with effort on the secondary lifts while focusing on mastering technique and the mind-muscle

connection. Try to put all of your animalistic energy into the heavy top set to kick off the workout, and then tame the beast for the rest of the workout while practicing focus and control. Similar to Block 1, RPEs increase linearly throughout Block 2, before reaching a peak in Week 8.

DELOAD AND AMRAPS

After completing Week 8, you are encouraged to run a deload (after all, both intensity and frequency are high to finish out the program) before testing your new maxes. Week 9 primarily sees a decrease in intensity, as volumes are still quite high. Be careful to pull back on your exertion this week, as it will actually improve your performance for the max testing in Week 10. The idea is to have you feeling fresh and recovered leading into the final week of the program, so you can assess the gains that have been made!

When performing an AMRAP test, always use a spotter's assistance and perform a thorough warmup first by pyramiding up in weight, using your current estimated 1RM. There is an example of what such a AMRAP warm up should look like below:

Bar x 15, 50% x 8, 60% x 4, 70% x 3, 80% x 2, 85% x 1

After determining your max reps with the assigned weight, you can plug the results of the AMRAP test in to this 1RM calculator to roughly determine your new working

1RM:

<http://www.exrx.net/Calculators/OneRepMax.html>

At this point, you can begin the program for another round starting with Week 1, or advance to [a new program](#).

WHY TECHNIQUE IS SO IMPORTANT

The progressive overload principle should be thought of as not just adding more weight to the bar, but adding more tension on the muscle itself. Dr. Brad Schoenfeld refers to this as the mechanical tension mechanism of hypertrophy [23]. "Overloading" a movement by allowing form to break down does not necessarily imply that more tension has been added to the muscle since the use of excessive momentum and the involvement of assisting muscles can help "move the weight." So, while I think it is acceptable to allow for controlled "cheating" on some secondary and tertiary exercises, primary exercises should be purposefully mastered and controlled on every single rep. There are two main reasons for this: safety and results.

1. SAFETY

Strength training can be dangerous. A questionnaire of Swedish sub-elite powerlifters found that 87 percent of the participants had experienced an injury within the past year [24] – primarily in the lumbopelvic, shoulder, and anterior hip regions. Since building muscle and increasing strength is a time-consuming process, it's important to stay as healthy as possible for as long as possible. Consistently practicing perfect technique on light work will ensure that you have ingrained the proper lifting habits when lifting the really heavy stuff.

2. RESULTS

Not only does good technique minimize injury risk, it also loads the targeted muscles more effectively, while decreasing the loading of synergistic and stabilizing muscles [25]. A large degree of strength development is directly tied to technique development and because of the primacy of the progressive overload principle,

it's safe to say that a focus on getting stronger in the rep zones included in this program will lead to greater muscle gains. This all begins with good technique.

HOW DO YOU KNOW IF YOU HAVE “GOOD FORM”?

Some trainers take the extreme stance that zero momentum or cheating should not be used when lifting, regardless of how well controlled the cheating is. Others insist that because the goal is to overload, cheating is fine since it allows you to move more weight. I think they are both wrong, because it is always context dependent and in this case, exercise dependent:

Primary Exercises: Practice perfect technique on all reps (for example, squats, bench presses and deadlifts).

Secondary and Tertiary Exercises: Mild momentum is permitted to get the weight moving, but always control the weight on the eccentric.

Exactly what constitutes “good form” will depend on the specific exercise being performed and the person performing the exercise. Still, a helpful practice is to record your lifts and compare your technique to the technique demonstrated in the videos provided. You can also have a more experienced friend or coach give you feedback while keeping in mind that you should “feel exercises” in the muscle, not in tendons or ligaments. For form instruction on specific exercises, I recommend the following few resources:

NSCA Exercise Technique Manual for Resistance Training 2nd Edition

My Technique Tuesday Series: https://www.youtube.com/watch?v=vcBig73ojpE&list=PLp4G6oBUcv8yGQifkb4p_ZOoACPnYslx9

With exercise-specific technique variations aside (e.g. maintaining a neutral back during a squat, minimal swaying during a bicep curl, keeping the barbell in contact with the lower leg and thigh during a deadlift, etc.) there are three main principles that constitute “good form”:

1. CONTROLLING THE NEGATIVE

Controlling the negative essentially means that you are lowering the weight under your own control, not under the control of gravity alone. Despite this being an important concern for safety reasons, some literature suggests that the eccentric (negative) portion of the lift is the most important for muscle growth. A 2015 meta-analysis by Schoenfeld, Ogborn, & Krieger found that rep durations between 0.5–8 seconds all lead to similar amounts of hypertrophy [26]. This suggests that you should choose a tempo that is comfortable for you, while maintaining full control of the weight throughout the entire repetition. My personal recommendation is to aim for a one to two second negative and a one to two second positive on most lifts, with the main criteria being that you are consciously and actively controlling the weight using the target muscles throughout the full range of motion.

For primary lifts like bench presses and squats, you should aim for a more “explosive” concentric and focus more on the movement of your entire body in three-dimensional space, rather than on a specific lifting tempo. Deadlifts are the one possible exception where the eccentric does not need to be controlled to the same degree – simply hold the bar on its way down and maintain bar position directly over the middle of your foot, allowing the bar to descend at a speed that feels natural for you.

2. FULL RANGE OF MOTION

Although research does suggest that partial range of motion training (“half reps”

or “quarter reps”) can be a useful training tool for strength development [27-29], for the most part, we will benefit maximally from consistently training through a full range of motion. This basic habit across all exercises will allow for a more efficient understanding of the movement pattern and ensure roughly equal strength abilities at all points throughout the movement’s range of motion.

From a safety perspective, it’s also important to note that a full range of motion will usually require the use of lighter weights. Using the bench press as an example, you will be able to lift much more weight if you only bring the bar half way to your chest than you will by bringing the bar all the way down to touch your chest. This “extra weight” on the bar may cause additional stress on the joints and soft-tissues without any additional benefit in terms of hypertrophy. This was highlighted in a 2013 study by Bloomquist and colleagues, which found that going through a full range of motion resulted in greater increases in muscle mass than using a partial range of motion [28]. Granted, there is counter-evidence supporting the idea that as long as intensity (relative effort) is equated, full and partial ranges of motions lead to similar hypertrophy [29, 30]

3. PROPER BREATHING

Knowing how to breathe during a lift is something many lifters struggle with. It is common to see people either holding their breath for far too long during a set or having the pace of their breathing totally out of sync with the pace of their reps.

My simple recommendation is to inhale during the eccentric (negative) and exhale during the concentric (positive). This may feel awkward at first so I recommend paying close attention to your breathing during your warm up sets so that you can better “ingrain” those proper breathing habits for your heavier sets. If your temptation is to

hold your breath while lifting, consciously remind yourself to breathe and consider “marking the breath” by saying to yourself “breathing in” as you lower the weight and “breathing out” as you lift the weight back up.

In addition to ensuring proper oxygenation, research has shown that inhaling during the eccentric portion of the lift and exhaling during the concentric portion significantly lessens the increase in blood pressure associated with the more advanced “Valsalva maneuver” technique. [31, 32]. The Valsalva technique is when you forcibly exhale against a closed glottis during the concentric portion of a lift. This is a very commonly used technique amongst powerlifters and other strength athletes to increase the amount of weight being lifted by increasing pressure in the abdomen. In the intermediate-advanced stage of lifting, I would recommend experimenting with the Valsalva maneuver on primary exercises (squat, bench press and deadlift) to your own comfort levels since it will very likely help increase the weight you are using on these exercises. However, keep in mind that this breathing technique is associated with a greater increase in blood pressure, so use it at your own discretion and be particularly cautious if you are at risk of hypertension.

THE MIND-MUSCLE CONNECTION

The mind-muscle connection is a widely debated topic when it comes to movement execution and proper technique. Should you focus “internally” by thinking about what muscles you’re supposed to be targeting with each exercise? Or should you focus “externally” by thinking about using your body as a whole?

As is usually the case, I think that the answer is not black and white but rather depends on the context. Generally speaking, the mind muscle connection should only be used sparingly (if at all) on primary exercises like squats, deadlifts and overhead presses, as these are highly technique-focused exercises that will activate a large muscle

mass regardless of attentional focus. For these movements, it is better to focus on the movement of your entire body and simply execute the exercise with proper technique and through a full range of motion. For all tertiary exercises (isolation exercises) and any remaining compound exercises, you can use the mind-muscle connection to increase activation of the target muscle, as you feel appropriate.

For the record, research has shown increased muscle activation when subjects are instructed to use “internal cueing” (such as squeezing your glutes as hard as possible to get the barbell to move in a hip thrust) as opposed to “external cueing” (such as simply moving the barbell upwards) [33]. In addition, recent data has suggested that use of a mind-muscle connection can be used to enhance muscle hypertrophy. So while it may not be appropriate for all exercises, practicing and cultivating a strong mind muscle connection is well-advised if your goal is to achieve the best muscular development possible.

In summary, our goal with training is to maximize muscular tension with relatively large training volumes and as outlined above, the best way to do that is by honing in on your technique.

EFFORT/INTENSITY

HOW HARD SHOULD YOU PUSH EACH SET?

This program uses both percentage-based and RPE-based methods for determining what weights you should use, which will ultimately determine your level of effort.

%1RM BASED EXERCISES

Loads for primary exercises (squat, bench press, deadlift) are determined based on

a percentage of your one rep max (1RM) for that exercise. The main advantage of using a %1RM approach is that week to week progression is ensured in an objective manner. Nothing is left up to how you're feeling that day – there is a set weight prescribed in the program, and it's your responsibility to hit it. This level of precision and structure is good for certain exercises because it allows for complete accountability.

HOW TO DETERMINE YOUR 1 REP MAX

Of course, to use a %1RM approach, you must know (or at least have a rough idea of) what your one rep max is for that exercise. If you do not know your 1RM, it may be tempting to simply test your 1RM – lift as heavy as possible with good form for one repetition. Although this is a seemingly simple solution, testing one rep maxes can be unnecessarily risky, and there are at least two better options to give you a ballpark estimate of this number.

ALWAYS USE A SPOTTER'S ASSISTANCE WHEN TESTING 1 REP MAXES!

Option 1: AMRAP TEST

- Warm up by pyramiding up in weight, using an estimated 1RM
- Bar x 15, 50% x 8, 60% x 4, 70% x 3, 80% x 2, 85% x 1
- Do a set of as many reps as possible with 90 percent of your estimated 1RM using a spotter for safety
- Alternatively, you can pick a weight you think you can do about three -five reps with, and do as many reps as possible using a spotter for safety
- Plug the results of the AMRAP test in to this 1RM calculator to determine your new working 1RM:

<http://www.exrx.net/Calculators/OneRepMax.html>

Note: If you do the AMRAP tests before beginning the program, do them on its own day and then rest for at least two days before beginning Week 1, Day 1.

OPTION 2. TOUGH SET TECHNIQUE

Plug the results of a recent “tough set,” taken close to failure in the six or lower rep range, into this calculator, which will estimate your 1RM: <http://www.exrx.net/Calculators/OneRepMax.html>

RPE-BASED EXERCISES

In contrast to the objective nature of the %1RM-based method, the scientific literature tends to use two subjective scales for calculating effort: rate of perceived exertion (RPE) and reps in reserve (RIR). This program uses RPE to gauge effort for all secondary and tertiary exercises.

The RPE scale is ranked from 1-10, with 1 implying nearly no effort was used, and 10 implying maximal effort was achieved (training to failure) [34]. I think this can be more easily conceptualized as RPE9 meaning work at about 90 percent of your maximal effort, RPE8 being about 80 percent of maximal effort, etc.

Another way to think about RPE is as the inverse of “reps in reserve” (RIR). RIR is a scale which attempts to gauge how many additional reps you would be able to complete after ending the set [35]. While research has shown that RIR is not very accurate for newer lifters [36], I think it is a good tool to understand at this point in your training career. So, to clarify, an RPE of nine would mean you had one rep left in reserve. An RPE of eight would mean you had two reps in reverse, etc.

In the program, the last set RPE column (LSRPE) is left blank for you to fill in. The idea here is to reflect on your last set and ask yourself how many more reps you think you could have gotten. It is a useful way to account for how hard you’re working on the final set and how well it matches the target RPE.

An Important Disclaimer About Training Intensity (Effort)

While I admire a strong work ethic, similar to volume, more effort is not always better. Properly applied effort is what we are always looking for. This means that we should reserve training to failure (or near failure) for when it fits within the context of the program as a whole.

VOLUME

Volume loosely refers to the total amount of work you're doing. This is often approximated as sets x reps x load, but is often simply thought of as the total number of sets. Total volume can be viewed as both volume per-session and volume per-week. Per-session volume requirements are actually quite low, with the research showing just one single set to be an adequate stimulus for hypertrophy, [37] however, multiple sets (3-5 sets) per muscle group are thought to be required to maximize hypertrophy [38]. It is important to remember that not all volume is created equally and more volume isn't always the answer. A study comparing 5 sets of 10 reps versus 10 sets of 10 reps on the squat actually showed greater strength responses in the 5 sets group, despite using half the volume. Additionally, the 10 x 10 group lost muscle (on average) in their legs [39], so there appears to be a volume limit past which more volume is not helpful for hypertrophy.

When it comes to per-week volume, James Krieger recommends an absolute minimum of 10 sets per week per muscle group [20], with 10-20 sets per bodypart per week being a good ballpark estimate for intermediate-advanced trainees. Because of the large degree of overlap between bodyparts on compound exercises, tracking set volume per bodypart has its complications and limitations.

With this routine, there is an estimate of set volume for each bodypart laid out in the table on page 37. If you have a specific weak point, you are welcome to add 2-4

sets per week, but always turn to more obvious things like fixing form, improving the mind muscle connection and improving set quality before turning to increasing set quantity (volume).

An Important Disclaimer About Training Volume

If you're coming to this program from a background of super high volume training, hopefully this routine will help you find the balance you need for a long and prosperous training career. Try to keep in mind that volume accumulates from Block 1 to Block 2 and throughout the program, our number one priority is quality of execution.

Just because someone may be running a higher volume training program than you does not imply that they will see better results. This is because there are so many factors other than volume that go into proper program design, so it is careless and shortsighted to judge a program based merely on how many sets it has you doing. Granted, volume has been identified as one of the primary factors driving muscle growth, so it must still be considered a central tenet of program design. However, this shouldn't tempt us to fall for either of the two most common volume misconceptions:

1. The "Pedestal Myth": the false idea that volume matters more than everything else. The reality is that ALL program variables must fit together like a puzzle, and it would be inappropriate to put one variable on a pedestal.
2. The "Quantity-Over-Quality Myth": the false idea that more volume is always better. Like the rest of the training variables, volume must be properly managed within the training week and compliment the other, more foundational programming factors like proper exercise execution (technique), the prioritization of recovery and the management of effort.

I elaborate on basic volume concepts at the links below:

Fundamentals Ep 2: <https://www.youtube.com/watch?v=7S0NjKYIJ7I>

Volume Science Explained: <https://www.youtube.com/watch?v=qwv3JqOUqWs>

Is (Too Much) Volume Killing Your Gains? <https://www.youtube.com/watch?v=Mja2fDwYA5s>



EXERCISE VIDEO DEMONSTRATIONS

NOTE: ALL EXERCISES ARE ORGANIZED IN
ALPHABETICAL ORDER.

AB WHEEL ROLLOUT: <https://www.youtube.com/watch?v=1G0y8D5rFDc>

ARNOLD PRESS: https://www.youtube.com/watch?v=6Z15_WdXmVw

BACK SQUAT: <https://www.youtube.com/watch?v=bEv6CCg2BC8&t>

BANDED CHEST-SUPPORTED T-BAR ROW: <https://www.youtube.com/watch?v=WJlt0SQekVU>

BARBELL BENCH PRESS: <https://www.youtube.com/watch?v=vcBig73ojpE>

BARBELL HIP THRUST: <https://www.youtube.com/watch?v=xDmFkJxPzeM>

BICYCLE CRUNCH: <https://youtu.be/2RrGnjxSsiA?t=369>

CABLE CRUNCH: <https://www.youtube.com/watch?v=ToJeyhydUxU>

CABLE PULL-OVER: <https://youtu.be/9B-5irFdB3c?t=320>

CABLE ROPE UPRIGHT ROW: <https://www.youtube.com/watch?v=nwkLwMRHMQo&t>

CABLE SEATED ROW: <https://www.youtube.com/watch?v=GZbfZ033f74>

CHEST-SUPPORTED T-BAR ROW: https://www.youtube.com/watch?v=sw1LwNZ3F_w

DEADLIFT: <https://www.youtube.com/watch?v=VL5Ab0T07e4&>

DECLINE BENCH PRESS: <https://www.youtube.com/watch?v=LfyQBUR8SE> (except press up and back slightly more)

DIP: https://www.youtube.com/watch?v=yN6Q1UI_xkE&

DUMBBELL INCLINE PRESS: https://www.youtube.com/watch?v=0G2_XV7sllg

DUMBBELL LATERAL RAISE: https://www.youtube.com/watch?v=v_ZkxWzYnMc

DUMBBELL ROW: <https://www.youtube.com/watch?v=J15nYGtf-TA>

ECCENTRIC-ACCENTUATED STANDING CALF RAISE: https://www.youtube.com/watch?v=-qsRtp_PbVM (except slow the negative more)

EGYPTIAN LATERAL RAISE: <https://youtu.be/SJqInYJcg5k?t=653>

EZ BAR CURL 21S: <https://www.youtube.com/watch?v=i1YgFZB6all&t>

EZ BAR SKULL CRUSHER: <https://www.youtube.com/watch?v=popGXl-qs98>

GLUTE HAM RAISE: <https://www.youtube.com/watch?v=w0X0Vw6Vu1Y>

HAMMER CURL: <https://www.youtube.com/watch?v=zC3nLIEvin4&t=15s>

HANGING LEG RAISE: https://www.youtube.com/watch?v=hdng3Nm1x_E

HUMBLE ROW: <https://www.instagram.com/p/B5ni85NBT1M/>

INCLINE DUMBBELL CURL: <https://www.youtube.com/watch?v=soxrZlll35U>

LEG EXTENSION: <https://www.youtube.com/watch?v=ljO4jkwv8wQ>

LEG PRESS: https://www.youtube.com/watch?v=7H-KpNTYw_k

LOW INCLINE DUMBBELL PRESS: <https://www.youtube.com/watch?v=8iPEnn-ltC8>

LOW TO HIGH CABLE FLYE: <https://www.youtube.com/watch?v=-ElhKMDSjBY>

LYING LEG CURL: <https://www.youtube.com/watch?v=1Tq3QdYUuHs&t=2s>

OVERHEAD PRESS: https://www.youtube.com/watch?v=_RIRDWO2jfg

OVERHEAD TRICEP PRESSDOWN: <https://www.youtube.com/>

[watch?v=38QQai2Ag9Y](https://www.youtube.com/watch?v=38QQai2Ag9Y)

PRONATED PULLDOWN: <https://www.youtube.com/watch?v=O94yEoGXtBY>

PUSH UP: <https://www.youtube.com/watch?v=IODxDxX7oi4>

RDL: https://www.youtube.com/watch?v=_oyxCn2iSjU

REVERSE PEC DECK: <https://www.youtube.com/watch?v=qfc70k40318>

ROPE FACE PULL: <https://www.youtube.com/watch?v=qfc70k40318>

SEATED HIP ABDUCTION: https://www.youtube.com/watch?v=GmRSV_n2E_0

SINGLE-LEG LEG PRESS: <https://www.youtube.com/watch?v=ZYDTJaAM-gE>

STANDING CALF RAISE: https://www.youtube.com/watch?v=-qsRtp_PbVM

SUPINATED EZ BAR CURL: <https://www.youtube.com/watch?v=i1YgFZB6all&t=>

SWISS BALL LEG CURL: <https://youtu.be/WNB90xXLEOg?t=62>

T BAR OR SMITH MACHINE SHRUG: <https://www.youtube.com/watch?v=C6sYjDFuq9I>

TRICEP PRESSDOWN: <https://www.youtube.com/watch?v=94DXwlcX8Po>

WEIGHTED PULLUP: <https://www.youtube.com/watch?v=Hdc7Mw6BIEE&>



EXERCISE SUBSTITUTIONS

If there are any exercises in the program that you cannot perform due to injury, pain or lack of equipment, below are some suggested alternatives that you can substitute.

NOTE: ALL EXERCISES ARE ORGANIZED IN ALPHABETICAL ORDER.

AB WHEEL ROLLOUT: Long-lever plank, plank, hollow body hold

ARNOLD PRESS: Dumbbell seated shoulder press, machine shoulder press

BACK SQUAT: Hack squat, smith machine squat, (leg press + 15 reps of back extensions)

BANDED CHEST-SUPPORTED T-BAR ROW: Cable seated row w/ band, eccentric-accentuated chest-supported T-bar row

BARBELL BENCH PRESS: Dumbbell press, machine chest press, smith machine bench

press

BARBELL HIP THRUST: Glute bridge, dumbbell 45° hyperextension

BICYCLE CRUNCH: Cable crunch, bodyweight crunch, V sit-up

CABLE CRUNCH: Bodyweight crunch, V sit-up, bicycle crunch

CABLE PULL-OVER: Lying dumbbell pullover

CABLE ROPE UPRIGHT ROW: Machine lateral raise, face pull

CABLE SEATED ROW: Dumbbell row

CABLE SINGLE-ARM CURL: Single arm dumbbell curl

CHEST-SUPPORTED T-BAR ROW: chest-supported row, cable single-arm row

DEADLIFT: Sumo deadlift

DECLINE BENCH PRESS: Weighted Dip

DIP: Assisted dip, machine dip, close-grip bench press

DUMBBELL INCLINE PRESS: Barbell incline press, deficit push-up

DUMBBELL LATERAL RAISE: Machine lateral raise, Egyptian lateral raise

DUMBBELL ROW: Cable single-arm row, dumbbell chest-supported row

ECCENTRIC-ACCENTUATED STANDING CALF RAISE: Slow-Eccentric Leg Press Toe

Press

EGYPTIAN LATERAL RAISE: Dumbbell lateral raise, machine lateral raise

EZ BAR CURL 21S: EZ bar curl, dumbbell curl 21s, cable curl 21s

EZ BAR SKULL CRUSHER: Floor press, pin press, JM press

GLUTE HAM RAISE: Glute bridge, reverse hyper, cable pull-through

HAMMER CURL: EZ bar pronated curl, rope hammer curl

HANGING LEG RAISE: Captain's chair crunch, reverse crunch

HUMBLE ROW: Chest supported T Bar Row (pronated grip) or Seal Row/Helms Row

INCLINE DUMBBELL CURL: Behind the back cable curl

LEG EXTENSION: Sissy squat, goblet squat

LEG PRESS: Goblet squat, walking lunge

LOW INCLINE DUMBBELL PRESS: Low Incline Machine Press, low incline barbell press

LOW TO HIGH CABLE FLYE: Pec deck, dumbbell flye

LYING LEG CURL: Seated leg curl, sliding leg curl

OVERHEAD PRESS: Seated barbell overhead press

OVERHEAD TRICEP PRESSDOWN: Dumbbell overhead triceps extension

PRONATED PULLDOWN: Pull-up, supinated pulldown

PUSH UP: Dumbbell floor press, machine chest press

RDL: Stiff leg deadlift, block pull (4")

REVERSE PEC DECK: Reverse cable flye

ROPE FACE PULL: Reverse dumbbell flye, reverse cable crossover

SEATED HIP ABDUCTION: Lateral band walk

SINGLE-LEG LEG PRESS: Assisted pistol squat, dumbbell step-up

STANDING CALF RAISE: Seated calf raise, leg press calf press

SUPINATED EZ BAR CURL: Dumbbell curl, cable curl

SWISS BALL LEG CURL: Sliding leg curl, seated leg curl, lying leg curl

T BAR OR SMITH MACHINE SHRUG: Dumbbell shrug

TRICEP PRESSDOWN: Rope overhead triceps extension, dumbbell kickback

WEIGHTED PULLUP: Lat pulldown, neutral-grip pull-up



REFERENCES

1: Pearcey GE, Bradbury-squires DJ, Kawamoto JE, Drinkwater EJ, Behm DG, Button DC. Foam rolling for delayed-onset muscle soreness and recovery of dynamic performance measures. *J Athl Train.* 2015;50(1):5-13.

2: Macdonald GZ, Button DC, Drinkwater EJ, Behm DG. Foam rolling as a recovery tool after an intense bout of physical activity. *Med Sci Sports Exerc.* 2014;46(1):131-42.

3: Appell HJ, Soares JM, Duarte JA. Exercise, muscle damage and fatigue. *Sports Med.* 1992;13(2):108-15.

4: Newham DJ, Jones DA, Ghosh G, Aurora P. Muscle fatigue and pain after eccentric contractions at long and short length. *Clin Sci.* 1988;74(5):553-7

5: Schoenfeld BJ. Does exercise-induced muscle damage play a role in skeletal muscle hypertrophy?. *J Strength Cond Res.* 2012;26(5):1441-53.

6: West DJ, Cook CJ, Beaven MC, Kilduff LP. The influence of the time of day on core

- temperature and lower body power output in elite rugby union sevens players. *J Strength Cond Res.* 2014;28(6):1524–8.
- 7: Barroso R, Silva-batista C, Tricoli V, Roschel H, Ugrinowitsch C. The effects of different intensities and durations of the general warm-up on leg press 1RM. *J Strength Cond Res.* 2013;27(4):1009–13.
- 8: Racinais S. Different effects of heat exposure upon exercise performance in the morning and afternoon. *Scand J Med Sci Sports.* 2010;20 Suppl 3:80–9.
- 9: Parr M, Price PD, Cleather DJ. Effect of a gluteal activation warm-up on explosive exercise performance. *BMJ Open Sport Exerc Med.* 2017;3(1):e000245.
- 10: Cheatham SW, Kolber MJ, Cain M, Lee M. The Effects of Self-Myofascial Release Using A Foam Roll or Roller Massager on Joint Range of Motion, Muscle Recovery, And Performance: A Systematic Review. *Int J Sports Phys Ther.* 2015;10(6):827–38.
- 11: Shellock FG, Prentice WE. Warming-up and stretching for improved physical performance and prevention of sports-related injuries. *Sports Med.* 1985;2(4):267–78.
- 12: Schoenfeld B, Ogborn D, Krieger J. Effects of Resistance Training Frequency on Measures of Muscle Hypertrophy: A Systematic Review and Meta-Analysis. *Sports Medicine.* 2016;46(11):1689–1697.
- 13: Phillips S, Tipton K, Aarsland A, Wolf S, Wolfe R. Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *American Journal of Physiology-Endocrinology and Metabolism.* 1997;273(1):E99–E107.
- 14: Damas F, Phillips S, Vechin F, Ugrinowitsch C. A Review of Resistance Training-

- Induced Changes in Skeletal Muscle Protein Synthesis and Their Contribution to Hypertrophy. *Sports Medicine*. 2015;45(6):801–807.
- 15: Damas F, Phillips S, Libardi C, Vechin F, Lixandrão M, Jannig P et al. Resistance training-induced changes in integrated myofibrillar protein synthesis are related to hypertrophy only after attenuation of muscle damage. *The Journal of Physiology*. 2016;594(18):5209–5222.
- 16: Brook M, Wilkinson D, Mitchell W, Lund J, Szewczyk N, Greenhaff P et al. Skeletal muscle hypertrophy adaptations predominate in the early stages of resistance exercise training, matching deuterium oxide-derived measures of muscle protein synthesis and mechanistic target of rapamycin complex 1 signaling. *The FASEB Journal*. 2015;29(11):4485–4496.
- 17: Ralston G, Kilgore L, Wyatt F, Buchan D, Baker J. Weekly Training Frequency Effects on Strength Gain: A Meta-Analysis. *Sports Medicine – Open*. 2018;4(1).
- 18: Grgic J, Schoenfeld B, Davies T, Lazinica B, Krieger J, Pedisic Z. Effect of Resistance Training Frequency on Gains in Muscular Strength: A Systematic Review and Meta-Analysis. *Sports Medicine*. 2018;48(5):1207–1220.
- 19: Krieger J. Training Frequency For Hypertrophy: The Evidence-Based Bible [Internet]. *Weightology*. 2019 [cited 26 November 2019]. Available from: <https://weightology.net/the-members-area/evidence-based-guides/training-frequency-for-hypertrophy-the-evidence-based-bible/>
- 20: Schoenfeld B, Ogborn D, Krieger J. Dose-response relationship between weekly resistance training volume and increases in muscle mass: A systematic review and meta-analysis. *Journal of Sports Sciences*. 2016;35(11):1073–1082.

21. Damas F, Angleri V, Phillips S, Witard O, Ugrinowitsch C, Santaniello N et al. Myofibrillar protein synthesis and muscle hypertrophy individualized responses to systematically changing resistance training variables in trained young men. *Journal of Applied Physiology*. 2019;127(3):806–815.
22. Ogasawara R, Arihara Y, Takegaki J, Nakazato K, Ishii N. Relationship between exercise volume and muscle protein synthesis in a rat model of resistance exercise. *Journal of Applied Physiology*. 2017;123(4):710–716.
- 23: Schoenfeld BJ. The mechanisms of muscle hypertrophy and their application to resistance training. *J Strength Cond Res*. 2010;24(10):2857–72.
- 24: Strömbäck E, Aasa U, Gilenstam K, Berglund L. Prevalence and Consequences of Injuries in Powerlifting: A Cross-sectional Study. *Orthop J Sports Med*. 2018;6(5):2325967118771016.
- 25: Lee TS, Song MY, Kwon YJ. Activation of back and lower limb muscles during squat exercises with different trunk flexion. *J Phys Ther Sci*. 2016;28(12):3407–3410.
- 26: Schoenfeld B, Ogborn D, Krieger J. Effect of Repetition Duration During Resistance Training on Muscle Hypertrophy: A Systematic Review and Meta-Analysis. *Sports Medicine*. 2015;45(4):577–585.
- 27: Da Silva JJ, Schoenfeld BJ, Marchetti PN, Pecoraro SL, Greve JMD, Marchetti PH. Muscle Activation Differs Between Partial and Full Back Squat Exercise With External Load Equated. *J Strength Cond Res*. 2017;31(6):1688–1693.
- 28: Bloomquist K, Langberg H, Karlsen S, Madsgaard S, Boesen M, Raastad T. Effect of range of motion in heavy load squatting on muscle and tendon adaptations. *Eur J Appl Physiol*. 2013;113(8):2133–42.

- 29: Pinto RS, Gomes N, Radaelli R, Botton CE, Brown LE, Bottaro M. Effect of range of motion on muscle strength and thickness. *J Strength Cond Res.* 2012;26(8):2140-5.
- 30: McMahon GE, Morse CI, Burden A, Winwood K, Onambélé GL. Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. *J Strength Cond Res.* 2014;28(1):245-55.
- 31: Lepley AS, Hatzel BM. Effects of weightlifting and breathing technique on blood pressure and heart rate. *J Strength Cond Res.* 2010;24(8):2179-83.
- 32: Narloch JA, Brandstater ME. Influence of breathing technique on arterial blood pressure during heavy weight lifting. *Arch Phys Med Rehabil.* 1995;76(5):457-62.
- 33: Schoenfeld BJ, Vigotsky A, Contreras B, et al. Differential effects of attentional focus strategies during long-term resistance training. *Eur J Sport Sci.* 2018;18(5):705-712.
- 34: Borg G. Perceived exertion as an indicator of somatic stress. *Scand J Rehabil Med.* 1970;2(2):92-8.
- 35: Zourdos MC, Klemp A, Dolan C, et al. Novel Resistance Training-Specific Rating of Perceived Exertion Scale Measuring Repetitions in Reserve. *J Strength Cond Res.* 2016;30(1):267-75.
- 36: Steele J, Endres A, Fisher J, Gentil P, Giessing J. Ability to predict repetitions to momentary failure is not perfectly accurate, though improves with resistance training experience. *PeerJ.* 2017;5:e4105.
- 37: Hass CJ, Garzarella L, De hoyos D, Pollock ML. Single versus multiple sets in longterm recreational weightlifters. *Med Sci Sports Exerc.* 2000;32(1):235-42.

38: Radaelli R, Fleck SJ, Leite T, et al. Dose-response of 1, 3, and 5 sets of resistance exercise on strength, local muscular endurance, and hypertrophy. *J Strength CondRes*. 2015;29(5):1349-58.

39: Hackett DA, Amirthalingam T, Mitchell L, Mavros Y, Wilson GC, Halaki M. Effects of a 12 Week Modified German Volume Training Program on Muscle Strength and Hypertrophy-A Pilot Study. *Sports (Basel)*. 2018;6(1):7.

JEFF NIPPARD'S

HIGH FREQUENCY FULL BODY PROGRAM

INTERMEDIATE-ADVANCED

THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF JEFF NIPPARD
UNAUTHORIZED DISTRIBUTION OF THIS DOCUMENT IS STRICTLY
PROHIBITED AND VIOLATORS WILL BE PROSECUTED.



| @JEFFNIPPARD